

Union Ballot Audit Report

Union Ballot Audit Report
 Election: Democratic PPP
 Audit Date: 11:20:06, Thu Mar 3, 2016

Prec Nber	Precinct Name	EL30A				Audit				Comments
		Total	Opt	iVo	Flash	iVo	Opt	Man	Delta	
0001	Adamsburg	29	0	29	0	29	0	0	0	
0002	Black Rock	80	0	80	0	80	0	0	0	
0003	Bonham	96	0	96	0	96	0	0	0	
0004	Buffalo Box 1	30	0	30	0	30	0	0	0	
0005	Carlisle	143	0	143	0	143	0	0	0	
0006	Cross Keys	86	0	86	0	86	0	0	0	
0007	East Buffalo	50	0	50	0	50	0	0	0	
0008	Excel si or	122	0	122	0	122	0	0	0	
0009	Jonesville Box 1	63	0	63	0	63	0	0	0	
0010	Jonesville Box 2	114	0	114	0	114	0	0	0	
0011	Kel ton	102	0	102	0	102	0	0	0	
0012	Lockhart	32	0	32	0	32	0	0	0	
0013	Monarch Box 1	64	0	64	0	64	0	0	0	
0014	Monarch Box 2	21	0	21	0	21	0	0	0	
0015	Putnam	22	0	22	0	22	0	0	0	
0016	Santuck	150	0	150	0	150	0	0	0	
0017	Ward 1 Box 1	69	0	69	0	69	0	0	0	
0018	Ward 1 Box 2	150	0	150	0	150	0	0	0	
0019	Ward 2	147	0	147	0	147	0	0	0	
0020	Ward 3	101	0	101	0	101	0	0	0	
0021	Ward 4 Box 1	53	0	53	0	53	0	0	0	
0022	Ward 4 Box 2	44	0	44	0	44	0	0	0	
0023	West Springs	34	0	34	0	34	0	0	0	
Precincts Total :		1802	0	1802	0	1802	0	0	0	
0750	Absentee	230	39	191	0	191	39	0	0	
0800	Emergency	0	0	0	0	0	0	0	0	
0850	Fai l safe	4	0	4	0	4	0	0	0	
0900	Provi si onal	0	0	0	0	0	0	0	0	
0950	Fai l safe Provi si onal	0	0	0	0	0	0	0	0	
Virtual Precincts Total :		234	39	195	0	195	39	0	0	
Grand Total :		2036	39	1997	0	1997	39	0	0	

NOTE: Any manual entries shown on this report are supported by the Manual Entry Log (EL68).

Audi tor' s Comments:

Total number of iVotronic ballots cast containing no votes: 9
 The following precincts have no ballots cast in them: Emergency, Provi si onal , Fai l safe Provi si onal
 This audit is complete and has no exceptions.

EL30A iVo to EL155 to EL152 Cross Check and Cancelled Ballots.

EL30A Ivo Ballots	EL155 Ballots	EL152 Ballots
-------------------	---------------	---------------

Union Ballot Audit Report

1997 Delta from EL30A	1997 0 Delta from EL155	1997 0 0
	Cast By Voter	1997
	Cast By Poll Wkr	0
	Blank Cast by PW	0
	Cancelled Ballots	9
	Wrong Ballot	0
	Voter Left AB	1
	Voter Left BB	2
	Voter Request	0
	Printer Problem	0
	Terminal Problem	2
	Other Reason	4

(AB = After ballot selected by poll worker.)
(BB = Before ballot selected by poll worker.)

Number of ADA audio enabled events in this election: 13

Precinct Number and Name	Machine	Date	Time
0002 Black Rock	5139929	02/24/2016	08:33:07
0003 Bonham	5125378	02/24/2016	08:46:00
0005 Carlisle	5139930	02/24/2016	08:53:13
0007 East Buffalo	5139967	02/24/2016	08:56:32
0008 Excelsior	5127832	02/24/2016	09:04:25
0014 Monarch Box 2	5139263	02/24/2016	09:26:13
0015 Putnam	5139370	02/24/2016	09:32:40
0017 Ward 1 Box 1	5139285	02/24/2016	09:39:49
0019 Ward 2	5125258	02/27/2016	14:28:03
0019 Ward 2	5125258	02/27/2016	14:14:38
0019 Ward 2	5125258	02/27/2016	14:14:50
0020 Ward 3	5129308	02/24/2016	09:52:58
0021 Ward 4 Box 1	5139888	02/24/2016	10:11:42

Election Date: 02/27/2016

In all but the Absentee Precinct events reported before election day are due to testing. Machines reported with precinct unknown had ADA Audio Enabled Events but no ballots were cast on them.

How to read this report.

This is the ballot level report. It compares the number of ballots cast in the tabulation report, the EL30A with the number of ballots cast in the audit data.

The values read from the EL30A report are reported in four categories; Total, Optical (Opt), iVotronic (iVo) and Flash. None of these values on each line are calculated but parsed from the actual report. The total lines are the calculated sums of the individual precinct line values.

The Opt totals are the total number of ballots cast on paper ballots that were scanned into the optical

Union Ballot Audit Report

scanner and transferred to the tabulation computer via memory stick or ZipDisk (depending on the type of device, M100 or M650 used to scan the ballots.) Optical totals should exist only in some but not all of the Virtual Precincts at the bottom of the table.

The iVo totals are the results gathered from the PEBs (Personal Electronic Ballot) which are used to open and close an iVotronic voting machine and, after the polls have closed, gather the ballots cast for transmission to the tabulation system.

The Flash totals are the totals that are read from the flash cards in the rare event that the ballots cannot be copied from the machine to the PEB or from the PEB to the tabulating machine.

The values on the Audit side come from the iVotronic audit data that is read from the flash cards as part of the audit process. That process combines the individual machine data into two master audit files, the EL155 Vote image log and the EL152 iVotronic event log.

The EL155 contains a record of all the votes cast on a ballot. The vote images indicate the machine. Counting the number of asterisks in a precinct we get the number of ballots cast in that precinct. That number should always match the number in the iVo column on the EL30A side of the report.

Optical ballots do not have electronically readable audit files. So if the audit data iVotronic total does not match the EL30A Total value, the auditor is prompted to read the paper report from the optical scanner and enter the total ballots cast into the auditing program.

If the sum of the audit iVotronic and Optical ballots cast still do not match the EL30A total value, then the audit software reads the EL68 Manual Entry log for any changes made in that precinct to either the iVo or Opt totals by the CEC staff. It displays any manual entries to the auditor for inclusion into the totals. If accepted by the auditor these entries are automatically added to the Man column from the Manual Entry log.

Finally, the audit software calculates the Delta value which should be zero unless the sum of the iVo, the Opt and the Man do not match the EL30A Total column. If the Delta is greater than zero then audit data is missing. A comment will be placed on that line in the report indicating missing audit data. If the Delta value is less than zero then there are more ballots in the audit data than there are in the tabulated data and a comment will be placed on that line in the report.

Wherever possible, the audit system will attempt to indicate where the difference is by displaying the iVotronic machine numbers and the number of ballots cast on that machine that exist in the audit data. In the case of missing tabulated data, it might be possible to identify a machine that has the same number of ballots cast as the delta value and that number and ballot count will be highlighted with a < sign. If there is a non zero Delta value there will be an entry by the auditor explaining the variance.

Finally, there is a EL30A iVo to EL155 to EL152 Cross Check and Cancelled Ballots table in the report. This table should indicate that the number ballots cast in the EL30A match the numbers in the EL155 and the EL152 report. Then there are some statistics pulled from the EL152 report that indicate how many ballots were cast by the voter and the number cast by the poll worker. Lastly the number of ballots that were cancelled and the reason they were cancelled. It should be noted that the reason cancelled is chosen from a pull down menu presented to the poll worker when a ballot is cancelled, there is no way to validate the poll worker's choice.

Union Vote Audit

Union Vote Level Audit Report
 Election: Democratic PPP
 Audit Date: 11:20:27, Thu Mar 3, 2016

Precinct Number / Name Office	Candidate	Party	EL30A				Audit		Comments
			Total	Optical	iVo	Flash	iVo	Delta	
0001 Adamsburg									
President District 5	Hillary Clinton		18	0	18	0	18	0	
President District 5	Martin O'Malley		0	0	0	0	* No Audit Data	expected or found	
President District 5	Bernie Sanders		10	0	10	0	10	0	
President District 5	Willie Wilson		0	0	0	0	* No Audit Data	expected or found	
0002 Black Rock									
President District 5	Hillary Clinton		68	0	68	0	68	0	
President District 5	Martin O'Malley		0	0	0	0	* No Audit Data	expected or found	
President District 5	Bernie Sanders		12	0	12	0	12	0	
President District 5	Willie Wilson		0	0	0	0	* No Audit Data	expected or found	
0003 Bonham									
President District 5	Hillary Clinton		79	0	79	0	79	0	
President District 5	Martin O'Malley		0	0	0	0	* No Audit Data	expected or found	
President District 5	Bernie Sanders		17	0	17	0	17	0	
President District 5	Willie Wilson		0	0	0	0	* No Audit Data	expected or found	
0004 Buffalo Box 1									
President District 5	Hillary Clinton		22	0	22	0	22	0	
President District 5	Martin O'Malley		0	0	0	0	* No Audit Data	expected or found	
President District 5	Bernie Sanders		8	0	8	0	8	0	
President District 5	Willie Wilson		0	0	0	0	* No Audit Data	expected or found	
0005 Carlisle									
President District 5	Hillary Clinton		133	0	133	0	133	0	
President District 5	Martin O'Malley		0	0	0	0	* No Audit Data	expected or found	
President District 5	Bernie Sanders		10	0	10	0	10	0	
President District 5	Willie Wilson		0	0	0	0	* No Audit Data	expected or found	
0006 Cross Keys									
President District 5	Hillary Clinton		70	0	70	0	70	0	
President District 5	Martin O'Malley		0	0	0	0	* No Audit Data	expected or found	
President District 5	Bernie Sanders		15	0	15	0	15	0	
President District 5	Willie Wilson		0	0	0	0	* No Audit Data	expected or found	
0007 East Buffalo									
President District 5	Hillary Clinton		39	0	39	0	39	0	
President District 5	Martin O'Malley		0	0	0	0	* No Audit Data	expected or found	
President District 5	Bernie Sanders		11	0	11	0	11	0	
President District 5	Willie Wilson		0	0	0	0	* No Audit Data	expected or found	
0008 Excel si or									
President District 5	Hillary Clinton		100	0	100	0	100	0	

		Uni on Vote Audi t				
President Di strict 5	Martin O' Malley	0	0	0	0	* No Audi t Data expected or found
President Di strict 5	Bernie Sanders	21	0	21	0	21 0
President Di strict 5	Willie Wilson	0	0	0	0	* No Audi t Data expected or found
0009 Jonesville Box 1						
President Di strict 5	Hillary Clinton	52	0	52	0	52 0
President Di strict 5	Martin O' Malley	0	0	0	0	* No Audi t Data expected or found
President Di strict 5	Bernie Sanders	11	0	11	0	11 0
President Di strict 5	Willie Wilson	0	0	0	0	* No Audi t Data expected or found
0010 Jonesville Box 2						
President Di strict 5	Hillary Clinton	90	0	90	0	90 0
President Di strict 5	Martin O' Malley	0	0	0	0	* No Audi t Data expected or found
President Di strict 5	Bernie Sanders	21	0	21	0	21 0
President Di strict 5	Willie Wilson	1	0	1	0	1 0
0011 Kel ton						
President Di strict 5	Hillary Clinton	86	0	86	0	86 0
President Di strict 5	Martin O' Malley	1	0	1	0	1 0
President Di strict 5	Bernie Sanders	15	0	15	0	15 0
President Di strict 5	Willie Wilson	0	0	0	0	* No Audi t Data expected or found
0012 Lockhart						
President Di strict 5	Hillary Clinton	24	0	24	0	24 0
President Di strict 5	Martin O' Malley	1	0	1	0	1 0
President Di strict 5	Bernie Sanders	7	0	7	0	7 0
President Di strict 5	Willie Wilson	0	0	0	0	* No Audi t Data expected or found
0013 Monarch Box 1						
President Di strict 5	Hillary Clinton	43	0	43	0	43 0
President Di strict 5	Martin O' Malley	0	0	0	0	* No Audi t Data expected or found
President Di strict 5	Bernie Sanders	20	0	20	0	20 0
President Di strict 5	Willie Wilson	1	0	1	0	1 0
0014 Monarch Box 2						
President Di strict 5	Hillary Clinton	11	0	11	0	11 0
President Di strict 5	Martin O' Malley	0	0	0	0	* No Audi t Data expected or found
President Di strict 5	Bernie Sanders	10	0	10	0	10 0
President Di strict 5	Willie Wilson	0	0	0	0	* No Audi t Data expected or found
0015 Putnam						
President Di strict 5	Hillary Clinton	14	0	14	0	14 0
President Di strict 5	Martin O' Malley	0	0	0	0	* No Audi t Data expected or found
President Di strict 5	Bernie Sanders	8	0	8	0	8 0
President Di strict 5	Willie Wilson	0	0	0	0	* No Audi t Data expected or found
0016 Santuck						
President Di strict 5	Hillary Clinton	130	0	130	0	130 0
President Di strict 5	Martin O' Malley	0	0	0	0	* No Audi t Data expected or found
President Di strict 5	Bernie Sanders	20	0	20	0	20 0
President Di strict 5	Willie Wilson	0	0	0	0	* No Audi t Data expected or found

Uni on Vote Audi t

0017 Ward 1 Box 1							
President District 5	Hillary Clinton	58	0	58	0	58	0
President District 5	Martin O' Malley	0	0	0	0	* No Audit Data	expected or found
President District 5	Bernie Sanders	11	0	11	0	11	0
President District 5	Willie Wilson	0	0	0	0	* No Audit Data	expected or found
0018 Ward 1 Box 2							
President District 5	Hillary Clinton	125	0	125	0	125	0
President District 5	Martin O' Malley	0	0	0	0	* No Audit Data	expected or found
President District 5	Bernie Sanders	25	0	25	0	25	0
President District 5	Willie Wilson	0	0	0	0	* No Audit Data	expected or found
0019 Ward 2							
President District 5	Hillary Clinton	123	0	123	0	123	0
President District 5	Martin O' Malley	0	0	0	0	* No Audit Data	expected or found
President District 5	Bernie Sanders	22	0	22	0	22	0
President District 5	Willie Wilson	0	0	0	0	* No Audit Data	expected or found
0020 Ward 3							
President District 5	Hillary Clinton	92	0	92	0	92	0
President District 5	Martin O' Malley	0	0	0	0	* No Audit Data	expected or found
President District 5	Bernie Sanders	8	0	8	0	8	0
President District 5	Willie Wilson	0	0	0	0	* No Audit Data	expected or found
0021 Ward 4 Box 1							
President District 5	Hillary Clinton	39	0	39	0	39	0
President District 5	Martin O' Malley	0	0	0	0	* No Audit Data	expected or found
President District 5	Bernie Sanders	14	0	14	0	14	0
President District 5	Willie Wilson	0	0	0	0	* No Audit Data	expected or found
0022 Ward 4 Box 2							
President District 5	Hillary Clinton	40	0	40	0	40	0
President District 5	Martin O' Malley	0	0	0	0	* No Audit Data	expected or found
President District 5	Bernie Sanders	4	0	4	0	4	0
President District 5	Willie Wilson	0	0	0	0	* No Audit Data	expected or found
0023 West Springs							
President District 5	Hillary Clinton	24	0	24	0	24	0
President District 5	Martin O' Malley	0	0	0	0	* No Audit Data	expected or found
President District 5	Bernie Sanders	10	0	10	0	10	0
President District 5	Willie Wilson	0	0	0	0	* No Audit Data	expected or found
0750 Absentee							
President District 5	Hillary Clinton	207	35	172	0	172	0
President District 5	Martin O' Malley	0	0	0	0	* No Audit Data	expected or found
President District 5	Bernie Sanders	21	4	17	0	17	0
President District 5	Willie Wilson	1	0	1	0	1	0
0800 Emergency							
President District 5	Hillary Clinton	0	0	0	0	* No Audit Data	expected or found
President District 5	Martin O' Malley	0	0	0	0	* No Audit Data	expected or found
President District 5	Bernie Sanders	0	0	0	0	* No Audit Data	expected or found

		Uni on Vote Audi t					
Presi dent Di stri ct 5	Willie Wilson	0	0	0	0	*	No Audi t Data expected or found
0850 Fai l safe							
Presi dent Di stri ct 5	Hillary Clinton	3	0	3	0	3	0
Presi dent Di stri ct 5	Martin O' Malley	0	0	0	0	*	No Audi t Data expected or found
Presi dent Di stri ct 5	Bernie Sanders	1	0	1	0	1	0
Presi dent Di stri ct 5	Willie Wilson	0	0	0	0	*	No Audi t Data expected or found
0900 Provi si onal							
Presi dent Di stri ct 5	Hillary Clinton	0	0	0	0	*	No Audi t Data expected or found
Presi dent Di stri ct 5	Martin O' Malley	0	0	0	0	*	No Audi t Data expected or found
Presi dent Di stri ct 5	Bernie Sanders	0	0	0	0	*	No Audi t Data expected or found
Presi dent Di stri ct 5	Willie Wilson	0	0	0	0	*	No Audi t Data expected or found
0950 Fai l safe Provi si onal							
Presi dent Di stri ct 5	Hillary Clinton	0	0	0	0	*	No Audi t Data expected or found
Presi dent Di stri ct 5	Martin O' Malley	0	0	0	0	*	No Audi t Data expected or found
Presi dent Di stri ct 5	Bernie Sanders	0	0	0	0	*	No Audi t Data expected or found
Presi dent Di stri ct 5	Willie Wilson	0	0	0	0	*	No Audi t Data expected or found
There was no unmatched audit data							

How to read this report.

This is the vote level report. It compares the number of votes cast for each candidate in the tabulation report with the number of ballots cast in the audit data for each candidates in each precinct.

The tabulated values as read from the EL30A report are reported in four categories; Total, Optical (Opt), iVotronic (iVo) and Flash. None of these values on each line are calculated but parsed from the actual report. In the EL30A report all Write-in votes are added together and reported as one candidate name - Write-in. The EL30A does not report individual Write-in candidates.

The Opt totals are the total number of votes cast on paper ballots that were scanned into the optical scanner and transferred to the tabulation computer via memory stick or ZipDisk (depending on the type of device, M100 or M650 used to scan the ballots.) Optical totals should exist only in some but not all of the Virtual Precincts at the bottom of the table.

The iVo totals are the results gathered from the PEBs (Personal Electronic Ballot) which are used to open and close an iVotronic voting machine and, after the polls have closed, gather the ballots cast for transmission to the tabulation system.

The Flash totals are the totals that are read from the flash cards in the rare event that the ballots cannot be copied from the machine to the PEB or from the PEB to the tabulating machine.

The values on the Audit side come from the iVotronic audit data that is read from the flash cards as part of the audit process. That process combines the individual machine data into a master audit file, the EL155 Vote image log.

The EL155 contains a record of all the votes cast on a ballot. The vote images indicate the machine counting the number of times a candidate name for a contest appears in a precinct we get the number of votes cast in that precinct for that candidates. That number should always match the number of votes cast

Union Vote Audit

for that candidate in that contest in the iVo column on the EL30A side of the report.

Optical ballots do not have electronically readable audit files. So if the audit data iVotronic total votes does not match the EL30A iVo value one of two things will occur. The first is if the iVotronic tabulated is zero and the Total tabulated votes match the tabulated Optical votes the following comment is made in the Audit side of the report; All votes cast for this candidate in this precinct are optical No Audit Data for optical, or secondly, if the iVotronic total is not zero, a notation indicating which data Audit data In the event a candidate or the combined Write-in candidates did not receive any votes in a precinct the EL30A will report a zero vote count. If there are no votes for this candidate in a precinct in the audit data, the following comment will be placed into the audit report by the auditing software; No Audit Data expected or found.

Finally the audit software will search the audit data for any votes that were not found on the EL30A report. If it finds some, it will report those vote totals by contest, candidate name and precinct. if it does not find any unmatched audit data it will report; There was no unmatched audit data

Uni on EL30A45A Compare

Uni on EL30A45A Comparison Report
 Election: Democratic PPP
 Audit Date: 11:20:35, Thu Mar 3, 2016

Office	Candidate	Party	EL30A				EL45A				Delta
			Tot	Opt	iVo	Flash	Tot	Opt	iVo	Flash	
President District 5	Hillary Clinton		1690	35	1655	0	1690	35	1655	0	0
President District 5	Martin O'Malley		2	0	2	0	2	0	2	0	0
President District 5	Bernie Sanders		332	4	328	0	332	4	328	0	0
President District 5	Willie Wilson		3	0	3	0	3	0	3	0	0

How to read this report.

This is EL30A EL45A Crosscheck Report. It sums each candidates vote totals in each precinct in the EL30A Precinct Detail Report and compares it to the EL45A Election Summary Report that contains the tabulated total for each candidate in the county.

The values read from the EL30A report are reported in four categories; Total, Optical (Opt), iVotronic (iVo) and Flash. None of these values on each line are calculated but parsed from the actual report. The total lines are the calculated sums of the individual precinced line values.

The Opt totals are the total number of votes cast on paper ballots that were scanned into the optical scanner and transferred to the tabulation computer via memory stick or ZipDisk (depending on the type of device, M100 or M650 used to scan the ballots.) Optical totals should exist only in some but not all of the Virtual Precincts at the bottom of the table.

The iVo totals are the results gathered from the PEBs (Personal Electronic Ballot) which are used to open and close an iVotronic voting machine and, after the polls have closed, gather the ballots cast for transmission to the tabulation system.

The Flash totals are the totals that are read from the flash cards in the rare event that the ballots cannot be copied from the machine to the PEB or from the PEB to the tabulating machine.

The values read from the EL45A report are reported in same four categories; Total, Optical (Opt), iVotronic (iVo) and Flash as the EL30A. Like the EL30A they are parsed from the actual EL45A report. The summary candidate totals are compared against the calculated sums for each candidate from, the EL30A report. Each of the values in each line on the EL30A side must match the same value on the EL45A side and the Delta value must be zero.

Union PEBUsed

Union PEB Use Report
 Election: Democratic PPP
 Audit Date: 11:20:06, Thu Mar 3, 2016

Precinct	PEBs Used	Comments
Adamsburg	150994	
Black Rock	150971	
Bonham	151123	
Buffalo Box 1	136998	
Carlisle	151820	
Cross Keys	150839	
East Buffalo	137242	
Excelsior	138488	
Jonesville Box 1	152033	
Jonesville Box 2	245156	
Kelton	137681	
Lockhart	152293	
Monarch Box 1	227812	
Monarch Box 2	151251	
Putnam	138601	
Santuck	137239	
Ward 1 Box 1	138707	
Ward 1 Box 2	138301	
Ward 2	150446	138304 WARNING: 2 PEBs used to open/close machines.
Ward 3	151597	
Ward 4 Box 1	139412	
Ward 4 Box 2	152096	
West Springs	151472	
Absentee	137889	
Fail safe	137889	

25 precincts processed

The following precinct(s) have no ballots cast in them: Emergency, Provisional, Fail safe Provisional
 Note: if there are no ballots cast in a precinct the machines in that precinct cannot be identified so these precinct(s) will not appear in this report.

How to read this report.

This is the PEB Used report. It lists the precincts found in the Audit data and lists all the PEBs that were used by the poll workers to open and close the iVotronic machines in that precinct.

If more than one PEB is used to open and close all the iVotronic machines in a precinct, then the County Election Commission must read ALL the PEBs used in that precinct to

Union PEBUsed

assure that they have collected all the ballots from that precinct. A county whose report shows a precinct that has machines open or closed by more than one PEB should double check the Ballot Audit Report against the iVotronic paper tapes and the Poll Book to make sure that all the ballots have been collected and tabulated.

Union PEBExceptionsReport

Union PEB Exceptions Report
 Election: Democratic PPP
 Election date: 02/27/2016
 Audit Date: 11:20:06, Thu Mar 3, 2016

iVo #	Op PEB	Open Time	Cl PEB	Close Time	Exception Type	Precinct - Ballots Cast
5120119	150446	02/27/2016 14:53:03	150446	02/27/2016 19:11:16	Open Time	Ward 2 - 43
5125258	150446	02/27/2016 06:33:45	138304	02/27/2016 14:43:15	>>>O/C PEBs<<<	Ward 2 - 24
5125258	150446	02/27/2016 06:33:45	138304	02/27/2016 14:43:15	Close Time	Ward 2 - 24
5125834	137889	01/20/2016 13:32:40	137889	02/27/2016 19:03:07	>>Open Date<<	Absentee - 191 Fail safe - 4
5125834	137889	01/20/2016 13:32:40	137889	02/27/2016 19:03:07	Open Time	Absentee - 191 Fail safe - 4

How to read this report.

This is the PEB Exceptions Report. It checks for the following conditions in the iVotronic Event Log;

- 1: A machine that was opened and closed by different PEBs
- 2: A Machine that was not opened on Election Date - could be either an absentee or test machine
- 3: A Machine that was not closed on Election Date - could have had problem closing
- 4: A Machine that was not opened by 7 am - note most Absentee machines will show up here
- 5: A Machine that was closed before 7pm - polls close at 7 PM
- 6: A Machine that was not closed ever.
- 7: A machine that has no ballots cast on it.

Each of the events above detected are reported on a separate line, each line contains the following information: iVotronic machine number, Opening PEB Number, Open Time, Closing PEB Number, Closing Time, the Exception Type and the Precinct and the Ballots Cast on that machine.

Absentee and Fail safe precinct machines are opened during the middle of the day several days before the election date of 02/27/2016. So it is normal for these machines to appear on this report with Open Date and Open Time exceptions.