

Greenville 2017 State House Dist 28 Primary Audit Report

Greenville Ballot Audit Report  
 Election: 2017 State House Dist 28 Primary  
 Audit Date: 13:10:42, Thu Nov 16, 2017

Prec Nber	Precinct Name	EL30A				Audit				Comments
		Total	Opt	iVo	Flash	iVo	Opt	Man	Delta	
0229	Greenville 29	0	0	0	0	0	0	0	0	
0246	Conestee	59	0	59	0	59	0	0	0	
0250	Donaldson	4	0	4	0	4	0	0	0	
0252	Dunklin	192	0	192	0	192	0	0	0	
0258	Fork Shoals	241	0	241	0	241	0	0	0	
0287	Neely Farms	127	0	127	0	127	0	0	0	
0296	Pineview	41	0	41	0	41	0	0	0	
0298	Raintree	80	0	80	0	80	0	0	0	
0299	Reedy Fork	38	0	38	0	38	0	0	0	
0343	Woodmont	2	0	2	0	2	0	0	0	
0346	Baker Creek	59	0	59	0	59	0	0	0	
0358	Long Creek	77	0	77	0	77	0	0	0	
0359	Moore Creek	73	0	73	0	73	0	0	0	
0361	Ranch Creek	68	0	68	0	68	0	0	0	
0364	Standing Springs	66	0	66	0	66	0	0	0	
0368	Verdmont	123	0	123	0	123	0	0	0	
0369	Ware Place	214	0	214	0	214	0	0	0	
Precincts Total:		1464	0	1464	0	1464	0	0	0	
0750	Absentee	39	7	32	0	32	7	0	0	
0800	Provisional	4	4	0	0	0	4	0	0	
0850	Failsafe	0	0	0	0	0	0	0	0	
0900	Emergency	0	0	0	0	0	0	0	0	
Virtual Precincts Total:		43	11	32	0	32	11	0	0	
Grand Total:		1507	11	1496	0	1496	11	0	0	

NOTE: Any manual entries shown on this report are supported by the Manual Entry Log (EL68).

Auditor's Comments:

Total number of iVotronic ballots cast containing no votes: 4  
 The following precincts have no ballots cast in them: Greenville 29, Failsafe, Emergency  
 This audit is complete and has no exceptions.

Status of ERM Reports  
 EL30A is marked Official  
 EL45A is marked Official

EL30A iVo to EL155 to EL152 Cross Check and Cancelled Ballots.

EL30A Ivo Ballots	EL155 Ballots	EL152 Ballots
1496	1496	1496
Delta from EL30A	0	0

Greenville 2017 State House Dist 28 Primary Audit Report

Delta from EL155	0	
Cast By Voter	1496	
Cast By Poll Wkr	0	
Blank Cast by PW	0	
Cancelled Ballots	7	
Wrong Ballot	0	
Voter Left AB	0	(AB = After ballot selected by poll worker.)
Voter Left BB	0	(BB = Before ballot selected by poll worker.)
Voter Request	1	
Printer Problem	0	
Terminal Problem	0	
Other Reason	6	

Number of audio (ADA) events in this election: 0

Note: The following machines(s) have audit records but no ballots were cast on them: 5122557, 5127210, 5130461  
 Because they do not have ballots cast, they cannot be matched to a precinct. This is not an issue as long as the EL30A Ivo Ballots, the EL155 Ballots and the EL152 Ballots match in the table immediately above.

How to read this report.

This is the ballot level report. It compares the number of ballots cast in the tabulation report, the EL30A with the number of ballots cast in the audit data.

The values read from the EL30A report are reported in four categories; Total, Optical (Opt), iVotronic (iVo) and Flash. None of these values on each line are calculated but parsed from the actual report. The total lines are the calculated sums of the individual precinct line values.

The Opt totals are the total number of ballots cast on paper ballots that were scanned into the optical scanner and transferred to the tabulation computer via memory stick or ZipDisk (depending on the type of device, M100 or M650 used to scan the ballots.) Optical totals should exist only in some but not all of the Virtual Precincts at the bottom of the table.

The iVo totals are the results gathered from the PEBs (Personal Electronic Ballot) which are used to open and close an iVotronic voting machine and, after the polls have closed, gather the ballots cast for transmission to the tabulation system.

The Flash totals are the totals that are read from the flash cards in the rare event that the ballots cannot be copied from the machine to the PEB or from the PEB to the tabulating machine.

The values on the Audit side come from the iVotronic audit data that is read from the flash cards as part of the audit process. That process combines the individual machine data into two master audit files, the EL155 Vote image log and the EL152 iVotronic event log.

The EL155 contains a record of all the votes cast on a ballot. The vote images indicate the machine counting the number of asterisks in a precinct we get the number of ballots cast in that precinct. That number should always match the number in the iVo column on the EL30A side of the report.

Greenville 2017 State House Dist 28 Primary Audit Report

Optical ballots do not have electronically readable audit files. So if the audit data iVotronic total does not match the EL30A Total value, the auditor is prompted to read the paper report from the optical scanner and enter the total ballots cast into the auditing program.

If the sum of the audit iVotronic and Optical ballots cast still do not match the EL30A total value, then the audit software reads the EL68 Manual Entry log for any changes made in that precinct to either the iVo or Opt totals by the CEC staff. It displays any manual entries to the auditor for inclusion into the totals. If accepted by the auditor these entries are automatically added to the Man column from the Manual Entry log.

Finally, the audit software calculates the Delta value which should be zero unless the sum of the iVo, the Opt and the Man do not match the EL30A Total column. If the Delta is greater than zero then audit data is missing. A comment will be placed on that line in the report indicating missing audit data. If the Delta value is less than zero then there are more ballots in the audit data than there are in the tabulated data and a comment will be placed on that line in the report.

Wherever possible, the audit system will attempt to indicate where the difference is by displaying the iVotronic machine numbers and the number of ballots cast on that machine that exist in the audit data. In the case of missing tabulated data, it might be possible to identify a machine that has the same number of ballots cast as the delta value and that number and ballot count will be highlighted with a < sign. If there is a non zero Delta value there will be an entry by the auditor explaining the variance.

Finally, there is a EL30A iVo to EL155 to EL152 Cross Check and Cancelled Ballots table in the report This table should indicate that the nubmer ballots cast in the EL30A match the numbers in the EL155 and the EL152 report. Then there are some statistics pulled from the EL152 repor that indicate how many ballots were cast by the voter and the number cast by the poll worker. Lastly the number of ballots that were cancelled and the reason they were cancelled. It should be noted that the reason cancelled is chosen from a pull down menu presented to the poll worker when a ballot is cancelled, there is no way to validate the poll worker's choice.

-----  
 Greenville Vote Level Audit Report  
 Election: 2017 State House Dist 28 Primary  
 Audit Date: 13:10:53, Thu Nov 16, 2017

Precinct Number / Name Office	Candidate	Party	-----EL30A-----				-----Audit-----		Comments
			Total	Opti cal	i Vo	Fl ash	i Vo	Del ta	
0229 Greenville 29 #####									
State House of Representatives Dist28	Krystal Blume		0	0	0	0	*	No Audit Data expected or found	
State House of Representatives Dist28	Jonathan Smith		0	0	0	0	*	No Audit Data expected or found	
State House of Representatives Dist28	Ashley Trantham		0	0	0	0	*	No Audit Data expected or found	
State House of Representatives Dist28	Bill Welch		0	0	0	0	*	No Audit Data expected or found	
0246 Conestee #####									
State House of Representatives Dist28	Krystal Blume		15	0	15	0			0
State House of Representatives Dist28	Jonathan Smith		4	0	4	0			0
State House of Representatives Dist28	Ashley Trantham		20	0	20	0			0
State House of Representatives Dist28	Bill Welch		20	0	20	0			0

Greenville 2017 State House Dist 28 Primary Audit Report

0250	Donaldson	#####							
	State House of Representatives	Dist28	Krystal Blume	0	0	0	0	*	No Audit Data expected or found
	State House of Representatives	Dist28	Jonathan Smith	0	0	0	0	*	No Audit Data expected or found
	State House of Representatives	Dist28	Ashley Trantham	2	0	2	0		2 0
	State House of Representatives	Dist28	Bill Welch	2	0	2	0		2 0
0252	Dunklin	#####							
	State House of Representatives	Dist28	Krystal Blume	24	0	24	0		24 0
	State House of Representatives	Dist28	Jonathan Smith	15	0	15	0		15 0
	State House of Representatives	Dist28	Ashley Trantham	136	0	136	0		136 0
	State House of Representatives	Dist28	Bill Welch	17	0	17	0		17 0
0258	Fork Shoals	#####							
	State House of Representatives	Dist28	Krystal Blume	51	0	51	0		51 0
	State House of Representatives	Dist28	Jonathan Smith	44	0	44	0		44 0
	State House of Representatives	Dist28	Ashley Trantham	124	0	124	0		124 0
	State House of Representatives	Dist28	Bill Welch	21	0	21	0		21 0
0287	Neely Farms	#####							
	State House of Representatives	Dist28	Krystal Blume	34	0	34	0		34 0
	State House of Representatives	Dist28	Jonathan Smith	12	0	12	0		12 0
	State House of Representatives	Dist28	Ashley Trantham	66	0	66	0		66 0
	State House of Representatives	Dist28	Bill Welch	15	0	15	0		15 0
0296	Pineview	#####							
	State House of Representatives	Dist28	Krystal Blume	10	0	10	0		10 0
	State House of Representatives	Dist28	Jonathan Smith	4	0	4	0		4 0
	State House of Representatives	Dist28	Ashley Trantham	25	0	25	0		25 0
	State House of Representatives	Dist28	Bill Welch	2	0	2	0		2 0
0298	Raintree	#####							
	State House of Representatives	Dist28	Krystal Blume	12	0	12	0		12 0
	State House of Representatives	Dist28	Jonathan Smith	16	0	16	0		16 0
	State House of Representatives	Dist28	Ashley Trantham	37	0	37	0		37 0
	State House of Representatives	Dist28	Bill Welch	14	0	14	0		14 0
0299	Reedy Fork	#####							
	State House of Representatives	Dist28	Krystal Blume	1	0	1	0		1 0
	State House of Representatives	Dist28	Jonathan Smith	0	0	0	0	*	No Audit Data expected or found
	State House of Representatives	Dist28	Ashley Trantham	30	0	30	0		30 0
	State House of Representatives	Dist28	Bill Welch	7	0	7	0		7 0
0343	Woodmont	#####							
	State House of Representatives	Dist28	Krystal Blume	1	0	1	0		1 0
	State House of Representatives	Dist28	Jonathan Smith	1	0	1	0		1 0
	State House of Representatives	Dist28	Ashley Trantham	0	0	0	0	*	No Audit Data expected or found
	State House of Representatives	Dist28	Bill Welch	0	0	0	0	*	No Audit Data expected or found
0346	Baker Creek	#####							
	State House of Representatives	Dist28	Krystal Blume	11	0	11	0		11 0
	State House of Representatives	Dist28	Jonathan Smith	3	0	3	0		3 0

Greenville 2017 State House Dist 28 Primary Audit Report

State House of Representatives Dist28	Ashley Trantham	41	0	41	0	41	0
State House of Representatives Dist28	Bill Welch	4	0	4	0	4	0
0358 Long Creek #####							
State House of Representatives Dist28	Krystal Blume	12	0	12	0	12	0
State House of Representatives Dist28	Jonathan Smith	4	0	4	0	4	0
State House of Representatives Dist28	Ashley Trantham	50	0	50	0	50	0
State House of Representatives Dist28	Bill Welch	11	0	11	0	11	0
0359 Moore Creek #####							
State House of Representatives Dist28	Krystal Blume	8	0	8	0	8	0
State House of Representatives Dist28	Jonathan Smith	12	0	12	0	12	0
State House of Representatives Dist28	Ashley Trantham	42	0	42	0	42	0
State House of Representatives Dist28	Bill Welch	11	0	11	0	11	0
0361 Ranch Creek #####							
State House of Representatives Dist28	Krystal Blume	19	0	19	0	19	0
State House of Representatives Dist28	Jonathan Smith	6	0	6	0	6	0
State House of Representatives Dist28	Ashley Trantham	32	0	32	0	32	0
State House of Representatives Dist28	Bill Welch	11	0	11	0	11	0
0364 Standing Springs #####							
State House of Representatives Dist28	Krystal Blume	27	0	27	0	27	0
State House of Representatives Dist28	Jonathan Smith	1	0	1	0	1	0
State House of Representatives Dist28	Ashley Trantham	30	0	30	0	30	0
State House of Representatives Dist28	Bill Welch	8	0	8	0	8	0
0368 Verdmont #####							
State House of Representatives Dist28	Krystal Blume	39	0	39	0	39	0
State House of Representatives Dist28	Jonathan Smith	10	0	10	0	10	0
State House of Representatives Dist28	Ashley Trantham	51	0	51	0	51	0
State House of Representatives Dist28	Bill Welch	23	0	23	0	23	0
0369 Ware Place #####							
State House of Representatives Dist28	Krystal Blume	15	0	15	0	15	0
State House of Representatives Dist28	Jonathan Smith	15	0	15	0	15	0
State House of Representatives Dist28	Ashley Trantham	164	0	164	0	164	0
State House of Representatives Dist28	Bill Welch	18	0	18	0	18	0
0750 Absentee #####							
State House of Representatives Dist28	Krystal Blume	15	3	12	0	12	0
State House of Representatives Dist28	Jonathan Smith	1	0	1	0	1	0
State House of Representatives Dist28	Ashley Trantham	17	2	15	0	15	0
State House of Representatives Dist28	Bill Welch	6	2	4	0	4	0
0800 Provisional #####							
State House of Representatives Dist28	Krystal Blume	0	0	0	0	0	* No Audit Data expected or found
State House of Representatives Dist28	Jonathan Smith	0	0	0	0	0	* No Audit Data expected or found
State House of Representatives Dist28	Ashley Trantham	3	3	0	0	0	* All votes cast for this candidate * in this precinct are optical. * No Audit Data for optical.

Greenville 2017 State House Dist 28 Primary Audit Report  
 State House of Representatives Dist28 Bill Welch 1 1 0

0 \* All votes cast for this candidate  
 \* in this precinct are optical.  
 \* No Audit Data for optical.

0850	Fail safe	#####					
State House of Representatives Dist28	Krystal Blume		0	0	0	0	* No Audit Data expected or found
State House of Representatives Dist28	Jonathan Smith		0	0	0	0	* No Audit Data expected or found
State House of Representatives Dist28	Ashley Trantham		0	0	0	0	* No Audit Data expected or found
State House of Representatives Dist28	Bill Welch		0	0	0	0	* No Audit Data expected or found
0900	Emergency	#####					
State House of Representatives Dist28	Krystal Blume		0	0	0	0	* No Audit Data expected or found
State House of Representatives Dist28	Jonathan Smith		0	0	0	0	* No Audit Data expected or found
State House of Representatives Dist28	Ashley Trantham		0	0	0	0	* No Audit Data expected or found
State House of Representatives Dist28	Bill Welch		0	0	0	0	* No Audit Data expected or found

There was no unmatched audit data

How to read this report.

This is the vote level report. It compares the number of votes cast for each candidate in the tabulation report with the number of ballots cast in the audit data for each candidates in each precinct.

The tabulated values as read from the EL30A report are reported in four categories; Total, Optical (Opt), iVotronic (iVo) and Flash. None of these values on each line are calculated but parsed from the actual report. In the EL30A report all Write-in votes are added together and reported as one candidate name - Write-in. The EL30A does not report individual Write-in candidates.

The Opt totals are the total number of votes cast on paper ballots that were scanned into the optical scanner and transferred to the tabulation computer via memory stick or ZipDisk (depending on the type of device, M100 or M650 used to scan the ballots.) Optical totals should exist only in some but not all of the Virtual Precincts at the bottom of the table.

The iVo totals are the results gathered from the PEBs (Personal Electronic Ballot) which are used to open and close an iVotronic voting machine and, after the polls have closed, gather the ballots cast for transmission to the tabulation system.

The Flash totals are the totals that are read from the flash cards in the rare event that the ballots cannot be copied from the machine to the PEB or from the PEB to the tabulating machine.

The values on the Audit side come from the iVotronic audit data that is read from the flash cards as part of the audit process. That process combines the individual machine data into a master audit file, the EL155 Vote image log.

The EL155 contains a record of all the votes cast on a ballot. The vote images indicate the machine counting the number of times a candidate name for a contest appears in a precinct we get the number of votes cast in that precinct for that candidates. That number should always match the number of votes cast for that candidate in that contest in the iVo column on the EL30A side of the report.

Optical ballots do not have electronically readable audit files. So if the audit data iVotronic total votes

Greenville 2017 State House Dist 28 Primary Audit Report

does not match the EL30A iVo value one of two things will occur. The first is if the iVotronic tabulated is zero and the Total tabulated votes match the tabulated Optical votes the following comment is made in the Audit side of the report; All votes cast for this candidate in this precinct are optical No Audit Data for optical, or secondly, if the iVotronic total is not zero, a notation indicating which data Audit data In the event a candidate or the combined Write-in candidates did not receive any votes in a precinct the EL30A will report a zero vote count. If there are no votes for this candidate in a precinct in the audit data, the following comment will be placed into the audit report by the auditing software; No Audit Data expected or found.

Finally the audit software will search the audit data for any votes that were not found on the EL30A report. If it finds some, it will report those vote totals by contest, candidate name and precinct. if it does not find any unmatched audit data it will report; There was no unmatched audit data

-----  
 Greenville EL30A45A Comparison Report  
 Election: 2017 State House Dist 28 Primary  
 Audit Date: 13:10:58, Thu Nov 16, 2017

Office	Candidate	Party	EL30A				EL45A				Delta
			Tot	Opt	iVo	Flash	Tot	Opt	iVo	Flash	
State House of Representatives Dist28	Krystal Blume		294	3	291	0	294	3	291	0	0
State House of Representatives Dist28	Jonathan Smith		148	0	148	0	148	0	148	0	0
State House of Representatives Dist28	Ashley Trantham		870	5	865	0	870	5	865	0	0
State House of Representatives Dist28	Bill Welch		191	3	188	0	191	3	188	0	0

How to read this report.

This is EL30A EL45A Crosscheck Report. It sums each candidates vote totals in each precinct in the EL30A Precinct Detail Report and compares it to the EL45A Election Summary Report that contains the tabulated total for each candidate in the county.

The values read from the EL30A report are reported in four categories; Total, Optical (Opt), iVotronic (iVo) and Flash. None of these values on each line are calculated but parsed from the actual report. The total lines are the calculated sums of the individual precince line values.

The Opt totals are the total number of votes cast on paper ballots that were scanned into the optical scanner and transferred to the tabulation computer via memory stick or ZipDisk (depending on the type of device, M100 or M650 used to scan the ballots.) Optical totals should exist only in some but not all of the Virtual Precincts at the bottom of the table.

The iVo totals are the results gathered from the PEBs (Personal Electronic Ballot) which are used to open and close an iVotronic voting machine and, after the polls have closed, gather the ballots cast for transmission to the tabulation system.

The Flash totals are the totals that are read from the flash cards in the rare event that the ballots cannot be copied from the machine to the PEB or from the PEB to the tabulating machine.

## Greenville 2017 State House Dist 28 Primary Audit Report

The values read from the EL45A report are reported in same four categories; Total, Optical (Opt), iVotronic (iVo) and Flash as the EL30A. Like the EL30A they are parsed from the actual EL45A report. The summary candidate totals are compared against the calculated sums for each candidate from the EL30A report. Each of the values in each line on the EL30A side must match the same value on the EL45A side and the Delta value must be zero.

### Greenville PEB Use Report

Election: 2017 State House Dist 28 Primary  
 Audit Date: 13:10:42, Thu Nov 16, 2017

Precinct	PEBs Used	Comments
Conestee	144871	
Donaldson	144871	
Dunklin	244709	
Fork Shoals	230026	
Neely Farms	119855	
Pineview	230026	
Raintree	245121	
Reedy Fork	244795	
Woodmont	244795	
Baker Creek	244795	
Long Creek	139151	
Moore Creek	154511	
Ranch Creek	244494	
Standing Springs	244465	
Verdmont	245120	154566
Ware Place	244795	WARNING: 2 PEBs used to open/close machines.
Absentee	137289	

17 precincts processed

The following precinct(s) have no ballots cast in them: Greenville 29, Failsafe, Emergency

Note: if there are no ballots cast in a precinct the machines in that precinct cannot be identified so these precinct(s) will not appear in this report.

How to read this report.

This is the PEB Used report. It lists the precincts found in the Audit data and lists all the PEBs that were used by the poll workers to open and close the iVotronic machines in that precinct.

If more than one PEB is used to open and close all the iVotronic machines in a precinct, then the County Election Commission must read ALL the PEBs used in that precinct to assure that they have collected all the ballots from that precinct. A county whose report shows a precinct that has machines open or closed by more than one PEB should double check the Ballot



Greenville 2017 State House Dist 28 Primary Audit Report

Audit Report against the iVotronic paper tapes and the Poll Book to make sure that all the ballots have been collected and tabulated.

Greenville PEB Exceptions Report  
 Election: 2017 State House Dist 28 Primary  
 Election date: 11/14/2017  
 Audit Date: 13:10:42, Thu Nov 16, 2017

iVo #	Op PEB	Open Time	Cl PEB	Close Time	Exception Type	Precinct - Ballots Cast
5120583	137289	10/16/2017 07:11:44	137289	11/13/2017 17:04:13	>>Open Date<<	Absentee - 10
5120583	137289	10/16/2017 07:11:44	137289	11/13/2017 17:04:13	>>Close Date<<	Absentee - 10
5120583	137289	10/16/2017 07:11:44	137289	11/13/2017 17:04:13	Open Time	Absentee - 10
5120583	137289	10/16/2017 07:11:44	137289	11/13/2017 17:04:13	Close Time	Absentee - 10
5121776	245120	11/14/2017 06:59:51	154566	11/14/2017 19:47:39	>>>O/C PEBs<<<	Verdmont - 27
5124707	137289	10/16/2017 07:14:38	137289	11/13/2017 17:09:09	>>Open Date<<	Absentee - 9
5124707	137289	10/16/2017 07:14:38	137289	11/13/2017 17:09:09	>>Close Date<<	Absentee - 9
5124707	137289	10/16/2017 07:14:38	137289	11/13/2017 17:09:09	Open Time	Absentee - 9
5124707	137289	10/16/2017 07:14:38	137289	11/13/2017 17:09:09	Close Time	Absentee - 9
5125032	119855	11/14/2017 07:37:09	119855	11/14/2017 19:08:17	Open Time	Neely Farms - 18
5127210	143702	11/14/2017 07:06:01	143702	11/14/2017 19:08:41	Open Time	>>>No Ballots<<<
5127215	245120	11/14/2017 06:58:16	154566	11/14/2017 19:34:40	>>>O/C PEBs<<<	Verdmont - 23
5127811	137289	10/16/2017 07:11:11	137289	11/13/2017 17:03:13	>>Open Date<<	Absentee - 9
5127811	137289	10/16/2017 07:11:11	137289	11/13/2017 17:03:13	>>Close Date<<	Absentee - 9
5127811	137289	10/16/2017 07:11:11	137289	11/13/2017 17:03:13	Open Time	Absentee - 9
5127811	137289	10/16/2017 07:11:11	137289	11/13/2017 17:03:13	Close Time	Absentee - 9
5127886	245120	11/14/2017 06:55:40	154566	11/14/2017 19:17:29	>>>O/C PEBs<<<	Verdmont - 22
5130461	143702	11/14/2017 07:03:28	143702	11/14/2017 19:04:49	Open Time	>>>No Ballots<<<
5131830	137289	10/16/2017 07:16:30	137289	11/13/2017 17:12:23	>>Open Date<<	Absentee - 4
5131830	137289	10/16/2017 07:16:30	137289	11/13/2017 17:12:23	>>Close Date<<	Absentee - 4
5131830	137289	10/16/2017 07:16:30	137289	11/13/2017 17:12:23	Open Time	Absentee - 4
5131830	137289	10/16/2017 07:16:30	137289	11/13/2017 17:12:23	Close Time	Absentee - 4
5131831	245120	11/14/2017 07:01:50	154566	11/14/2017 19:49:29	>>>O/C PEBs<<<	Verdmont - 27
5131831	245120	11/14/2017 07:01:50	154566	11/14/2017 19:49:29	Open Time	Verdmont - 27
5134751	245120	11/14/2017 06:59:05	154566	11/14/2017 19:45:46	>>>O/C PEBs<<<	Verdmont - 24

The following machines(s) have audit records but no ballots were cast on them: 5122557, 5127210, 5130461  
 Because they do not have ballots cast, they cannot be matched to a precinct.

How to read this report.

This is the PEB Exceptions Report. It checks for the following conditions in the iVotronic Event Log;

- 1: A machine that was opened and closed by different PEBs
- 2: A Machine that was not opened on Election Date - could be either an absentee or test machine
- 3: A Machine that was not closed on Election Date - could have had problem closing
- 4: A Machine that was not opened by 7 am - note most Absentee machines will show up here

Greenville 2017 State House Dist 28 Primary Audit Report

5: A Machine that was closed before 7pm - polls close at 7 PM

6: A Machine that was not closed ever.

7: A machine that has no ballots cast on it.

Each of the events above detected are reported on a separate line, each line contains the following information: iVotronic machine number, Opening PEB Number, Open Time, Closing PEB Number, Closing Time, the Exception Type and the Precinct and the Ballots Cast on that machine.

Absentee and Failsafe precinct machines are opened during the middle of the day several days before the election date of 11/14/2017. So it is normal for these machines to appear on this report with Open Date and Open Time exceptions.