

Spartanburg 2017 State House Dist 31 Runoff Audit Report

Spartanburg Ballot Audit Report
 Election: 2017 State House Dist 31 Runoff
 Audit Date: 11:30:11, Thu Aug 10, 2017

Prec Nber	Precinct Name	EL30A				Audit				Comments
		Total	Opt	iVo	Flash	iVo	Opt	Man	Delta	
0003	Arcadia Elementary	15	0	15	0	15	0	0	0	
0018	E P Todd Elementary	48	0	48	0	48	0	0	0	
0041	Hayne Baptist	1	0	1	0	1	0	0	0	
0065	Roebuck Elementary	20	0	20	0	20	0	0	0	
0068	Mount Moriah Baptist	128	0	128	0	128	0	0	0	
0070	C C Woodson Rec Cent	164	0	164	0	164	0	0	0	
0073	Trinity Methodist	5	0	5	0	5	0	0	0	
0075	Southside Baptist	120	0	120	0	120	0	0	0	
0078	Cornerstone Baptist	87	0	87	0	87	0	0	0	
0082	Woodland Hgts Rec Ce	27	0	27	0	27	0	0	0	
0084	Beaumont Methodist	2	0	2	0	2	0	0	0	
0086	Cleveland Elementary	66	0	66	0	66	0	0	0	
0088	Ebenezer Baptist	91	0	91	0	91	0	0	0	
0101	Bethany Baptist	43	0	43	0	43	0	0	0	
0106	Mount Zion F G Bapti	24	0	24	0	24	0	0	0	
0107	Jesse Bobo Elementar	89	0	89	0	89	0	0	0	
0108	White Stone Methodi s	9	0	9	0	9	0	0	0	
0119	Roebuck Bethlehem	0	0	0	0	0	0	0	0	
0125	Chapman Elementary	1	0	1	0	1	0	0	0	
0132	Park Hills Elementar	123	0	123	0	123	0	0	0	
0134	Powell Saxon Una	80	0	80	0	80	0	0	0	
Precincts Total:		1143	0	1143	0	1143	0	0	0	
0750	Absentee	277	55	222	0	222	0	55	0	
0800	Emergency	0	0	0	0	0	0	0	0	
0850	Failsafe	2	0	2	0	2	0	0	0	
0900	Provisional	1	1	0	0	0	0	1	0	
Virtual Precincts Total:		280	56	224	0	224	0	56	0	
Grand Total:		1423	56	1367	0	1367	0	56	0	

NOTE: Any manual entries shown on this report are supported by the Manual Entry Log (EL68).

Auditor's Comments:

Total number of iVotronic ballots cast containing no votes: 15
 The following precincts have no ballots cast in them: Roebuck Bethlehem, Emergency

Auditor's Notes: Manual Entries found County used ballots printed for primary for the runoff and made manual entries.

This audit is complete and has no exceptions.

Status of ERM Reports
 EL30A is marked Official

EL45A is marked Official

EL30A iVo to EL155 to EL152 Cross Check and Cancelled Ballots.

EL30A Ivo Ballots	EL155 Ballots	EL152 Ballots
1367	1367	1367
Delta from EL30A	0	0
	Delta from EL155	0
	Cast By Voter	1367
	Cast By Poll Wkr	0
	Blank Cast by PW	0
	Cancelled Ballots	19
	Wrong Ballot	1
	Voter Left AB	2
	Voter Left BB	2
	Voter Request	7
	Printer Problem	1
	Terminal Problem	2
	Other Reason	4

(AB = After ballot selected by poll worker.)
 (BB = Before ballot selected by poll worker.)

Number of audio (ADA) events in this election: 0

Note: The following machines(s) have audit records but no ballots were cast on them: 5107844, 5121523, 5125945, 5127318, 5132921, 5138699
 Because they do not have ballots cast, they cannot be matched to a precinct. This is not an issue as long as the EL30A Ivo Ballots, the EL155 Ballots and the EL152 Ballots match in the table immediately above.

How to read this report.

This is the ballot level report. It compares the number of ballots cast in the tabulation report, the EL30A with the number of ballots cast in the audit data.

The values read from the EL30A report are reported in four categories; Total, Optical (Opt), iVotronic (iVo) and Flash. None of these values on each line are calculated but parsed from the actual report. The total lines are the calculated sums of the individual precince line values.

The Opt totals are the total number of ballots cast on paper ballots that were scanned into the optical scanner and transferred to the tabulation computer via a memory stick or ZipDisk (depending on the type of device, M100 or M650 used to scan the ballots.) Optical totals should exist only in some but not all of the Virtual Precincts at the bottom of the table.

The iVo totals are the results gathered from the PEBs (Personal Electronic Ballot) which are used to open and close an iVotronic voting machine and, after the polls have closed, gather the ballots cast for transmission to the tabulation system.

Spartanburg 2017 State House Dist 31 Runoff Audit Report

The Flash totals are the totals that are read from the flash cards in the rare event that the ballots cannot be copied from the machine to the PEB or from the PEB to the tabulating machine.

The values on the Audit side come from the iVotronic audit data that is read from the flash cards as part of the audit process. That process combines the individual machine data into two master audit files, the EL155 Vote image log and the EL152 iVotronic event log. The EL155 contains a record of all the votes cast on a ballot. The vote images indicate the machine. Counting the number of asterisks in a precinct we get the number of ballots cast in that precinct. That number should always match the number in the iVo column on the EL30A side of the report.

Optical ballots do not have electronically readable audit files. So if the audit data iVotronic total does not match the EL30A Total value, the auditor is prompted to read the paper report from the optical scanner and enter the total ballots cast into the auditing program.

If the sum of the audit iVotronic and Optical ballots cast still do not match the EL30A total value, then the audit software reads the EL68 Manual Entry log for any changes made in that precinct to either the iVo or Opt totals by the CEC staff. It displays any manual entries to the auditor for inclusion into the totals. If accepted by the auditor these entries are automatically added to the Man column from the Manual Entry log.

Finally, the audit software calculates the Delta value which should be zero unless the sum of the iVo, the Opt and the Man do not match the EL30A Total column. If the Delta is greater than zero then audit data is missing. A comment will be placed on that line in the report indicating missing audit data. If the Delta value is less than zero then there are more ballots in the audit data than there are in the tabulated data and a comment will be placed on that line in the report.

Wherever possible, the audit system will attempt to indicate where the difference is by displaying the iVotronic machine numbers and the number of ballots cast on that machine that exist in the audit data. In the case of missing tabulated data, it might be possible to identify a machine that has the same number of ballots cast as the delta value and that number and ballot count will be highlighted with a < sign. If there is a non zero Delta value there will be an entry by the auditor explaining the variance.

Finally, there is a EL30A iVo to EL155 to EL152 Cross Check and Cancelled Ballots table in the report. This table should indicate that the number ballots cast in the EL30A match the numbers in the EL155 and the EL152 report. Then there are some statistics pulled from the EL152 report that indicate how many ballots were cast by the voter and the number cast by the poll worker. Lastly the number of ballots that were cancelled and the reason they were cancelled. It should be noted that the reason cancelled is chosen from a pull down menu presented to the poll worker when a ballot is cancelled, there is no way to validate the poll worker's choice.

 Spartanburg Vote Level Audit Report
 Election: 2017 State House Dist 31 Runoff
 Audit Date: 11:31:46, Thu Aug 10, 2017

Precinct Number / Name Office	Candidate	Party	-----EL30A-----				-----Audit-----		Comments
			Total	Optical	iVo	Flash	iVo	Delta	
0003 Arcadia Elementary State House of Representatives District 31 Mo Abusaft		(DEM)	8	0	8	0	8	0	#####

Spartanburg 2017 State House Dist 31 Runoff Audit Report

State House of Representatives District 31	Rosalyn Henderson Myers (DEM)	7	0	7	0	7	0
0018 E P Todd Elementary	#####						
State House of Representatives District 31	Mo Abusaft (DEM)	26	0	26	0	26	0
State House of Representatives District 31	Rosalyn Henderson Myers (DEM)	22	0	22	0	22	0
0041 Hayne Baptist	#####						
State House of Representatives District 31	Mo Abusaft (DEM)	0	0	0	0	* No Audit Data expected or found	
State House of Representatives District 31	Rosalyn Henderson Myers (DEM)	1	0	1	0	1	0
0065 Roebuck Elementary	#####						
State House of Representatives District 31	Mo Abusaft (DEM)	6	0	6	0	6	0
State House of Representatives District 31	Rosalyn Henderson Myers (DEM)	13	0	13	0	13	0
0068 Mount Moriah Baptist	#####						
State House of Representatives District 31	Mo Abusaft (DEM)	53	0	53	0	53	0
State House of Representatives District 31	Rosalyn Henderson Myers (DEM)	75	0	75	0	75	0
0070 C C Woodson Rec Center	#####						
State House of Representatives District 31	Mo Abusaft (DEM)	73	0	73	0	73	0
State House of Representatives District 31	Rosalyn Henderson Myers (DEM)	89	0	89	0	89	0
0073 Trinity Methodist	#####						
State House of Representatives District 31	Mo Abusaft (DEM)	2	0	2	0	2	0
State House of Representatives District 31	Rosalyn Henderson Myers (DEM)	3	0	3	0	3	0
0075 Southside Baptist	#####						
State House of Representatives District 31	Mo Abusaft (DEM)	52	0	52	0	52	0
State House of Representatives District 31	Rosalyn Henderson Myers (DEM)	67	0	67	0	67	0
0078 Cornerstone Baptist	#####						
State House of Representatives District 31	Mo Abusaft (DEM)	25	0	25	0	25	0
State House of Representatives District 31	Rosalyn Henderson Myers (DEM)	61	0	61	0	61	0
0082 Woodland Hgts Rec Center	#####						
State House of Representatives District 31	Mo Abusaft (DEM)	12	0	12	0	12	0
State House of Representatives District 31	Rosalyn Henderson Myers (DEM)	15	0	15	0	15	0
0084 Beaumont Methodist	#####						
State House of Representatives District 31	Mo Abusaft (DEM)	0	0	0	0	* No Audit Data expected or found	
State House of Representatives District 31	Rosalyn Henderson Myers (DEM)	2	0	2	0	2	0
0086 Cleveland Elementary	#####						
State House of Representatives District 31	Mo Abusaft (DEM)	25	0	25	0	25	0
State House of Representatives District 31	Rosalyn Henderson Myers (DEM)	37	0	37	0	37	0
0088 Ebenezer Baptist	#####						
State House of Representatives District 31	Mo Abusaft (DEM)	33	0	33	0	33	0
State House of Representatives District 31	Rosalyn Henderson Myers (DEM)	58	0	58	0	58	0
0101 Bethany Baptist	#####						
State House of Representatives District 31	Mo Abusaft (DEM)	10	0	10	0	10	0

Spartanburg 2017 State House Dist 31 Runoff Audit Report

State House of Representatives District 31	Rosalyn Henderson Myers (DEM)	33	0	33	0	33	0
0106 Mount Zion F G Baptist	#####						
State House of Representatives District 31	Mo Abusaft (DEM)	8	0	8	0	8	0
State House of Representatives District 31	Rosalyn Henderson Myers (DEM)	15	0	15	0	15	0
0107 Jesse Bobo Elementary	#####						
State House of Representatives District 31	Mo Abusaft (DEM)	29	0	29	0	29	0
State House of Representatives District 31	Rosalyn Henderson Myers (DEM)	59	0	59	0	59	0
0108 White Stone Methodist	#####						
State House of Representatives District 31	Mo Abusaft (DEM)	5	0	5	0	5	0
State House of Representatives District 31	Rosalyn Henderson Myers (DEM)	3	0	3	0	3	0
0119 Roebuck Bethlehem	#####						
State House of Representatives District 31	Mo Abusaft (DEM)	0	0	0	0	* No Audit Data expected or found	
State House of Representatives District 31	Rosalyn Henderson Myers (DEM)	0	0	0	0	* No Audit Data expected or found	
0125 Chapman Elementary	#####						
State House of Representatives District 31	Mo Abusaft (DEM)	0	0	0	0	* No Audit Data expected or found	
State House of Representatives District 31	Rosalyn Henderson Myers (DEM)	1	0	1	0	1	0
0132 Park Hills Elementary	#####						
State House of Representatives District 31	Mo Abusaft (DEM)	51	0	51	0	51	0
State House of Representatives District 31	Rosalyn Henderson Myers (DEM)	71	0	71	0	71	0
0134 Powell Saxon Una	#####						
State House of Representatives District 31	Mo Abusaft (DEM)	37	0	37	0	37	0
State House of Representatives District 31	Rosalyn Henderson Myers (DEM)	42	0	42	0	42	0
0750 Absentee	#####						
State House of Representatives District 31	Mo Abusaft (DEM)	126	10	116	0	116	0
State House of Representatives District 31	Rosalyn Henderson Myers (DEM)	148	43	105	0	105	0
0800 Emergency	#####						
State House of Representatives District 31	Mo Abusaft (DEM)	0	0	0	0	* No Audit Data expected or found	
State House of Representatives District 31	Rosalyn Henderson Myers (DEM)	0	0	0	0	* No Audit Data expected or found	
0850 Fail safe	#####						
State House of Representatives District 31	Mo Abusaft (DEM)	2	0	2	0	2	0
State House of Representatives District 31	Rosalyn Henderson Myers (DEM)	0	0	0	0	* No Audit Data expected or found	
0900 Provisional	#####						
State House of Representatives District 31	Mo Abusaft (DEM)	0	0	0	0	* No Audit Data expected or found	
State House of Representatives District 31	Rosalyn Henderson Myers (DEM)	1	1	0	0	* All votes cast for this candidate in this precinct are optical.	
						* No Audit Data for optical.	

There was no unmatched audit data

How to read this report.

Spartanburg 2017 State House Dist 31 Runoff Audit Report

This is the vote level report. It compares the number of votes cast for each candidate in the tabulation report with the number of ballots cast in the audit data for each candidates in each precinct.

The tabulated values as read from the EL30A report are reported in four categories; Total, Optical (Opt), iVotronic (iVo) and Flash. None of these values on each line are calculated but parsed from the actual report. In the EL30A report all Write-in votes are added together and reported as one candidate name - Write-in. The EL30A does not report individual Write-in candidates.

The Opt totals are the total number of votes cast on paper ballots that were scanned into the optical scanner and transferred to the tabulation computer via memory stick or ZipDisk (depending on the type of device, M100 or M650 used to scan the ballots.) Optical totals should exist only in some but not all of the Virtual Precincts at the bottom of the table.

The iVo totals are the results gathered from the PEBs (Personal Electronic Ballot) which are used to open and close an iVotronic voting machine and, after the polls have closed, gather the ballots cast for transmission to the tabulation system.

The Flash totals are the totals that are read from the flash cards in the rare event that the ballots cannot be copied from the machine to the PEB or from the PEB to the tabulating machine.

The values on the Audit side come from the iVotronic audit data that is read from the flash cards as part of the audit process. That process combines the individual machine data into a master audit file, the EL155 Vote image log.

The EL155 contains a record of all the votes cast on a ballot. The vote images indicate the machine counting the number of times a candidate name for a contest appears in a precinct we get the number of votes cast in that precinct for that candidates. That number should always match the number of votes cast for that candidate in that contest in the iVo column on the EL30A side of the report.

Optical ballots do not have electronically readable audit files. So if the audit data iVotronic total votes does not match the EL30A iVo value one of two things will occur. The first is if the iVotronic tabulated is zero and the Total tabulated votes match the tabulated Optical votes the following comment is made in the Audit side of the report; All votes cast for this candidate in this precinct are optical No Audit Data for optical, or secondly, if the iVotronic total is not zero, a notation indicating which data Audit data. In the event a candidate or the combined Write-in candidates did not receive any votes in a precinct the EL30A will report a zero vote count. If there are no votes for this candidate in a precinct in the audit data, the following comment will be placed into the audit report by the auditing software; No Audit Data expected or found.

Finally the audit software will search the audit data for any votes that were not found on the EL30A report. If it finds some, it will report those vote totals by contest, candidate name and precinct. if it does not find any unmatched audit data it will report; There was no unmatched audit data

Spartanburg EL30A45A Comparison Report
Election: 2017 State House Dist 31 Runoff
Audit Date: 11:31:56, Thu Aug 10, 2017

Spartanburg 2017 State House Dist 31 Runoff Audit Report

Office	Candidate	Party	EL30A				EL45A				Delta
			Tot	Opt	iVo	Flash	Tot	Opt	iVo	Flash	
State House of Representatives District 31	Mo Abusaft	(DEM)	583	10	573	0	583	10	573	0	0
State House of Representatives District 31	Rosalyn Henderson Myers	(DEM)	823	44	779	0	823	44	779	0	0

How to read this report.

This is EL30A EL45A Crosscheck Report. It sums each candidates vote totals in each precinct in the EL30A Precinct Detail Report and compares it to the EL45A Election Summary Report that contains the tabulated total for each candidate in the county.

The values read from the EL30A report are reported in four categories; Total, Optical (Opt), iVotronic (iVo) and Flash. None of these values on each line are calculated but parsed from the actual report. The total lines are the calculated sums of the individual precince line values.

The Opt totals are the total number of votes cast on paper ballots that were scanned into the optical scanner and transferred to the tabulation computer via memory stick or ZipDisk (depending on the type of device, M100 or M650 used to scan the ballots.) Optical totals should exist only in some but not all of the Virtual Precincts at the bottom of the table.

The iVo totals are the results gathered from the PEBs (Personal Electronic Ballot) which are used to open and close an iVotronic voting machine and, after the polls have closed, gather the ballots cast for transmissi on to the tabulation system.

The Flash totals are the totals that are read from the flash cards in the rare event that the ballots cannot be copied from the machine to the PEB or from the PEB to the tabulating machine.

The values read from the EL45A report are reported in same four categories; Total, Optical (Opt), iVotronic (iVo) and Flash as the EL30A. Like the EL30A they are parsed from the actual EL45A report. The summary candidate totals are compared against the calculated sums for each candidate from, the EL30A report. Each of the values in each line on the EL30A side must match the same value on the EL45A side and the Delta value must be zero.

Spartanburg PEB Use Report
 Election: 2017 State House Dist 31 Runoff
 Audit Date: 11: 30: 11, Thu Aug 10, 2017

Preci nct	PEBs Used	Comments
Arcadia Elementary	139712	
E P Todd Elementary	137416	WARNING: 2 PEBs used to open/close machi nes.
Hayne Baptist	138366	
Roebuck Elementary	151610	
Mount Moriah Baptist	151243	
C C Woodson Rec Cent	137922	

Spartanburg 2017 State House Dist 31 Runoff Audit Report

Trinity Methodist	155254
Southside Baptist	151384
Cornerstone Baptist	152069
Woodland Hgts Rec Ce	137832
Beaumont Methodist	139357
Cleveland Elementary	136937
Ebenezer Baptist	152117
Bethany Baptist	137778
Mount Zion F G Bapti	139663
Jesse Bobo Elementar	138577
White Stone Methodis	138802
Chapman Elementary	151315
Park Hills Elementar	139774
Powell Saxon Una	139692
Absentee	138742
Fail safe	138742

22 precincts processed

The following precinct(s) have no ballots cast in them: Roebuck Bethlehem, Emergency
 Note: if there are no ballots cast in a precinct the machines in that precinct cannot be identified so these precinct(s) will not appear in this report.

How to read this report.

This is the PEB Used report. It lists the precincts found in the Audit data and lists all the PEBs that were used by the poll workers to open and close the iVotronic machines in that precinct.

If more than one PEB is used to open and close all the iVotronic machines in a precinct, then the County Election Commission must read ALL the PEBs used in that precinct to assure that they have collected all the ballots from that precinct. A county whose report shows a precinct that has machines open or closed by more than one PEB should double check the Ballot Audit Report against the iVotronic paper tapes and the Poll Book to make sure that all the ballots have been collected and tabulated.

Spartanburg PEB Exceptions Report
 Election: 2017 State House Dist 31 Runoff
 Election date: 08/08/2017
 Audit Date: 11:30:11, Thu Aug 10, 2017

iVo #	Op PEB	Open Time	Cl PEB	Close Time	Exception Type	Precinct - Ballots Cast
5121647	138742	08/01/2017 08:30:59	138742	08/08/2017 19:06:53	>>Open Date<<	Absentee - 94
5121647	138742	08/01/2017 08:30:59	138742	08/08/2017 19:06:53	Open Time	Absentee - 94
5123154	138802	08/08/2017 07:05:23	138802	08/08/2017 19:07:48	Open Time	White Stone Methodis - 6
5126080	138742	08/01/2017 08:27:52	138742	08/08/2017 19:04:14	>>Open Date<<	Absentee - 128

Spartanburg 2017 State House Dist 31 Runoff Audit Report

5126080	138742	08/01/2017	08:27:52	138742	08/08/2017	19:04:14	Open Time	Fail safe - 2
								Absentee - 128
								Fail safe - 2
5133063	138390	08/08/2017	07:28:18	137416	08/09/2017	08:58:33	>>>O/C PEBs<<<	E P Todd Elementary - 6
5133063	138390	08/08/2017	07:28:18	137416	08/09/2017	08:58:33	>>Close Date<<	E P Todd Elementary - 6
5133063	138390	08/08/2017	07:28:18	137416	08/09/2017	08:58:33	Open Time	E P Todd Elementary - 6
5133063	138390	08/08/2017	07:28:18	137416	08/09/2017	08:58:33	Close Time	E P Todd Elementary - 6

The following machines(s) have audit records but no ballots were cast on them: 5107844, 5121523, 5125945, 5127318, 5132921, 5138699
 Because they do not have ballots cast, they cannot be matched to a precinct.

How to read this report.

This is the PEB Exceptions Report. It checks for the following conditions in the iVotronic Event Log;

- 1: A machine that was opened and closed by different PEBs
- 2: A Machine that was not opened on Election Date - could be either an absentee or test machine
- 3: A Machine that was not closed on Election Date - could have had problem closing
- 4: A Machine that was not opened by 7 am - note most Absentee machines will show up here
- 5: A Machine that was closed before 7pm - polls close at 7 PM
- 6: A Machine that was not closed ever.
- 7: A machine that has no ballots cast on it.

Each of the events above detected are reported on a separate line, each line contains the following information:
 iVotronic machine number, Opening PEB Number, Open Time, Closing PEB Number, Closing Time, the Exception Type and the Precinct and the Ballots Cast on that machine.

Absentee and Fail safe precinct machines are opened during the middle of the day several days before the election date of 08/08/2017. So it is normal for these machines to appear on this report with Open Date and Open Time exceptions.