

Charleston 2017 State House Dist 113 Primary Audit Report

Charleston Ballot Audit Report
 Election: 2017 State House Dist 113 Primary
 Audit Date: 13:59:17, Thu Sep 7, 2017

Prec Nber	Precinct Name	EL30A				Audit				Comments
		Total	Opt	iVo	Flash	iVo	Opt	Man	Delta	
0103	Deer Park 1B	34	0	34	0	34	0	0	0	
0110	Lincolnville	56	0	56	0	56	0	0	0	
0132	Ladson	38	0	38	0	38	0	0	0	
0607	N Charleston 7	34	0	34	0	34	0	0	0	
0608	N Charleston 8	59	0	59	0	59	0	0	0	
0609	N Charleston 9	87	0	87	0	87	0	0	0	
0610	N Charleston 10	56	0	56	0	56	0	0	0	
0611	N Charleston 11	75	0	75	0	75	0	0	0	
0612	N Charleston 12	100	0	100	0	100	0	0	0	
0613	N Charleston 13	62	0	62	0	62	0	0	0	
0614	N Charleston 14	48	0	48	0	48	0	0	0	
0615	N Charleston 15	37	0	37	0	37	0	0	0	
0616	N Charleston 16	59	0	59	0	59	0	0	0	
0617	N Charleston 17	61	0	61	0	61	0	0	0	
0624	N Charleston 24	26	0	26	0	26	0	0	0	
0625	N Charleston 25	48	0	48	0	48	0	0	0	
0626	N Charleston 26	24	0	24	0	24	0	0	0	
0627	N Charleston 27	8	0	8	0	8	0	0	0	
0630	N Charleston 30	151	0	151	0	151	0	0	0	
Precincts Total:		1063	0	1063	0	1063	0	0	0	
0750	Absentee	50	10	40	0	40	10	0	0	
0800	Emergency	0	0	0	0	0	0	0	0	
0850	Failsafe	2	0	2	0	2	0	0	0	
0900	Provisional	0	0	0	0	0	0	0	0	
Virtual Precincts Total:		52	10	42	0	42	10	0	0	
Grand Total:		1115	10	1105	0	1105	10	0	0	

NOTE: Any manual entries shown on this report are supported by the Manual Entry Log (EL68).

Auditor's Comments:

Total number of iVotronic ballots cast containing no votes: 5
 The following precincts have no ballots cast in them: Emergency, Provisional
 This audit is complete and has no exceptions.

Status of ERM Reports
 EL30A is marked Official
 EL45A is marked Official

EL30A iVo to EL155 to EL152 Cross Check and Cancelled Ballots.

EL30A iVo Ballots	EL155 Ballots	EL152 Ballots
-------------------	---------------	---------------

Charleston 2017 State House Dist 113 Primary Audit Report

1105 Delta from EL30A	1105 Delta from EL155	1105 0 0

	Cast By Voter	1105
	Cast By Poll Wkr	0
	Blank Cast by PW	0

	Cancelled Ballots	12

	Wrong Ballot	8
	Voter Left AB	0
	Voter Left BB	0
	Voter Request	1
	Printer Problem	0
	Terminal Problem	0
	Other Reason	3

(AB = After ballot selected by poll worker.)
 (BB = Before ballot selected by poll worker.)

Number of audio (ADA) events in this election: 0

Note: The following machines(s) have audit records but no ballots were cast on them: 5121587, 5121985, 5139692
 Because they do not have ballots cast, they cannot be matched to a precinct. This is not an issue as long as the EL30A Ivo Ballots, the EL155 Ballots and the EL152 Ballots match in the table immediately above.

How to read this report.

This is the ballot level report. It compares the number of ballots cast in the tabulation report, the EL30A with the number of ballots cast in the audit data.

The values read from the EL30A report are reported in four categories; Total, Optical (Opt), iVotronic (iVo) and Flash. None of these values on each line are calculated but parsed from the actual report. The total lines are the calculated sums of the individual precinct line values.

The Opt totals are the total number of ballots cast on paper ballots that were scanned into the optical scanner and transferred to the tabulation computer via memory stick or ZipDisk (depending on the type of device, M100 or M650 used to scan the ballots.) Optical totals should exist only in some but not all of the Virtual Precincts at the bottom of the table.

The iVo totals are the results gathered from the PEBs (Personal Electronic Ballot) which are used to open and close an iVotronic voting machine and, after the polls have closed, gather the ballots cast for transmission to the tabulation system.

The Flash totals are the totals that are read from the flash cards in the rare event that the ballots cannot be copied from the machine to the PEB or from the PEB to the tabulating machine.

The values on the Audit side come from the iVotronic audit data that is read from the flash cards as part of the audit process. That process combines the individual machine data into two master audit files, the EL155 Vote image log and the EL152 iVotronic event log.

The EL155 contains a record of all the votes cast on a ballot. The vote images indicate the machine

Charleston 2017 State House Dist 113 Primary Audit Report

Counting the number of asterisks in a precinct we get the number of ballots cast in that precinct. That number should always match the number in the iVo column on the EL30A side of the report.

Optical ballots do not have electronically readable audit files. So if the audit data iVotronic total does not match the EL30A Total value, the auditor is prompted to read the paper report from the optical scanner and enter the total ballots cast into the auditing program.

If the sum of the audit iVotronic and Optical ballots cast still do not match the EL30A total value, then the audit software reads the EL68 Manual Entry log for any changes made in that precinct to either the iVo or Opt totals by the CEC staff. It displays any manual entries to the auditor for inclusion into the totals. If accepted by the auditor these entries are automatically added to the Man column from the Manual Entry log.

Finally, the audit software calculates the Delta value which should be zero unless the sum of the iVo, the Opt and the Man do not match the EL30A Total column. If the Delta is greater than zero then audit data is missing. A comment will be placed on that line in the report indicating missing audit data. If the Delta value is less than zero then there are more ballots in the audit data than there are in the tabulated data and a comment will be placed on that line in the report.

Wherever possible, the audit system will attempt to indicate where the difference is by displaying the iVotronic machine numbers and the number of ballots cast on that machine that exist in the audit data. In the case of missing tabulated data, it might be possible to identify a machine that has the same number of ballots cast as the delta value and that number and ballot count will be highlighted with a < sign. If there is a non zero Delta value there will be an entry by the auditor explaining the variance.

Finally, there is a EL30A iVo to EL155 to EL152 Cross Check and Cancelled Ballots table in the report. This table should indicate that the number of ballots cast in the EL30A match the numbers in the EL155 and the EL152 report. Then there are some statistics pulled from the EL152 report that indicate how many ballots were cast by the voter and the number cast by the poll worker. Lastly the number of ballots that were cancelled and the reason they were cancelled. It should be noted that the reason cancelled is chosen from a pull down menu presented to the poll worker when a ballot is cancelled, there is no way to validate the poll worker's choice.

Charleston Vote Level Audit Report
 Election: 2017 State House Dist 113 Primary
 Audit Date: 13:59:31, Thu Sep 7, 2017

Precinct Number / Name Office	Candidate	Party	EL30A				Audit		Comments
			Total	Optical	iVo	Flash	iVo	Delta	
0103 Deer Park 1B	#####								
DEM - State House of Representatives District 113	Chris Collins			0	0	0	0	0	* No Audit Data expected or found
DEM - State House of Representatives District 113	Angela M Hanyak			3	0	3	0	3	0
DEM - State House of Representatives District 113	Marvin R Pendarvis			24	0	24	0	24	0
REP - State House of Representatives District 113	Theron Sandy II			5	0	5	0	5	0
REP - State House of Representatives District 113	Rouzy Vafai e			2	0	2	0	2	0

0110 Lincolnville #####

Charleston 2017 State House Dist 113 Primary Audit Report

DEM - State House of Representatives District 113	Chris Collins	1	0	1	0	1	0
DEM - State House of Representatives District 113	Angela M Hanyak	5	0	5	0	5	0
DEM - State House of Representatives District 113	Marvin R Pendarvis	45	0	45	0	45	0
REP - State House of Representatives District 113	Theron Sandy II	4	0	4	0	4	0
REP - State House of Representatives District 113	Rouzy Vafai e	1	0	1	0	1	0
0132 Ladson #####							
DEM - State House of Representatives District 113	Chris Collins	6	0	6	0	6	0
DEM - State House of Representatives District 113	Angela M Hanyak	0	0	0	0	* No Audit Data expected or found	
DEM - State House of Representatives District 113	Marvin R Pendarvis	26	0	26	0	26	0
REP - State House of Representatives District 113	Theron Sandy II	6	0	6	0	6	0
REP - State House of Representatives District 113	Rouzy Vafai e	0	0	0	0	* No Audit Data expected or found	
0607 N Charleston 7 #####							
DEM - State House of Representatives District 113	Chris Collins	2	0	2	0	2	0
DEM - State House of Representatives District 113	Angela M Hanyak	0	0	0	0	* No Audit Data expected or found	
DEM - State House of Representatives District 113	Marvin R Pendarvis	30	0	30	0	30	0
REP - State House of Representatives District 113	Theron Sandy II	1	0	1	0	1	0
REP - State House of Representatives District 113	Rouzy Vafai e	0	0	0	0	* No Audit Data expected or found	
0608 N Charleston 8 #####							
DEM - State House of Representatives District 113	Chris Collins	1	0	1	0	1	0
DEM - State House of Representatives District 113	Angela M Hanyak	5	0	5	0	5	0
DEM - State House of Representatives District 113	Marvin R Pendarvis	23	0	23	0	23	0
REP - State House of Representatives District 113	Theron Sandy II	20	0	20	0	20	0
REP - State House of Representatives District 113	Rouzy Vafai e	10	0	10	0	10	0
0609 N Charleston 9 #####							
DEM - State House of Representatives District 113	Chris Collins	1	0	1	0	1	0
DEM - State House of Representatives District 113	Angela M Hanyak	11	0	11	0	11	0
DEM - State House of Representatives District 113	Marvin R Pendarvis	42	0	42	0	42	0
REP - State House of Representatives District 113	Theron Sandy II	25	0	25	0	25	0
REP - State House of Representatives District 113	Rouzy Vafai e	8	0	8	0	8	0
0610 N Charleston 10 #####							
DEM - State House of Representatives District 113	Chris Collins	3	0	3	0	3	0
DEM - State House of Representatives District 113	Angela M Hanyak	9	0	9	0	9	0
DEM - State House of Representatives District 113	Marvin R Pendarvis	37	0	37	0	37	0
REP - State House of Representatives District 113	Theron Sandy II	3	0	3	0	3	0
REP - State House of Representatives District 113	Rouzy Vafai e	4	0	4	0	4	0
0611 N Charleston 11 #####							
DEM - State House of Representatives District 113	Chris Collins	1	0	1	0	1	0
DEM - State House of Representatives District 113	Angela M Hanyak	9	0	9	0	9	0
DEM - State House of Representatives District 113	Marvin R Pendarvis	29	0	29	0	29	0
REP - State House of Representatives District 113	Theron Sandy II	33	0	33	0	33	0
REP - State House of Representatives District 113	Rouzy Vafai e	3	0	3	0	3	0

Charleston 2017 State House Dist 113 Primary Audit Report

0612	N Charleston 12	#####						
DEM	- State House of Representatives	District 113Chris Collins	1	0	1	0	1	0
DEM	- State House of Representatives	District 113Angela M Hanyak	19	0	19	0	19	0
DEM	- State House of Representatives	District 113Marvin R Pendarvis	54	0	54	0	54	0
REP	- State House of Representatives	District 113Theron Sandy II	20	0	20	0	20	0
REP	- State House of Representatives	District 113Rouzy Vafai e	6	0	6	0	6	0
0613	N Charleston 13	#####						
DEM	- State House of Representatives	District 113Chris Collins	6	0	6	0	6	0
DEM	- State House of Representatives	District 113Angela M Hanyak	0	0	0	0	* No Audit Data expected or found	
DEM	- State House of Representatives	District 113Marvin R Pendarvis	51	0	51	0	51	0
REP	- State House of Representatives	District 113Theron Sandy II	4	0	4	0	4	0
REP	- State House of Representatives	District 113Rouzy Vafai e	0	0	0	0	* No Audit Data expected or found	
0614	N Charleston 14	#####						
DEM	- State House of Representatives	District 113Chris Collins	5	0	5	0	5	0
DEM	- State House of Representatives	District 113Angela M Hanyak	14	0	14	0	14	0
DEM	- State House of Representatives	District 113Marvin R Pendarvis	15	0	15	0	15	0
REP	- State House of Representatives	District 113Theron Sandy II	11	0	11	0	11	0
REP	- State House of Representatives	District 113Rouzy Vafai e	2	0	2	0	2	0
0615	N Charleston 15	#####						
DEM	- State House of Representatives	District 113Chris Collins	2	0	2	0	2	0
DEM	- State House of Representatives	District 113Angela M Hanyak	2	0	2	0	2	0
DEM	- State House of Representatives	District 113Marvin R Pendarvis	30	0	30	0	30	0
REP	- State House of Representatives	District 113Theron Sandy II	1	0	1	0	1	0
REP	- State House of Representatives	District 113Rouzy Vafai e	2	0	2	0	2	0
0616	N Charleston 16	#####						
DEM	- State House of Representatives	District 113Chris Collins	7	0	7	0	7	0
DEM	- State House of Representatives	District 113Angela M Hanyak	4	0	4	0	4	0
DEM	- State House of Representatives	District 113Marvin R Pendarvis	31	0	31	0	31	0
REP	- State House of Representatives	District 113Theron Sandy II	10	0	10	0	10	0
REP	- State House of Representatives	District 113Rouzy Vafai e	7	0	7	0	7	0
0617	N Charleston 17	#####						
DEM	- State House of Representatives	District 113Chris Collins	6	0	6	0	6	0
DEM	- State House of Representatives	District 113Angela M Hanyak	1	0	1	0	1	0
DEM	- State House of Representatives	District 113Marvin R Pendarvis	53	0	53	0	53	0
REP	- State House of Representatives	District 113Theron Sandy II	0	0	0	0	* No Audit Data expected or found	
REP	- State House of Representatives	District 113Rouzy Vafai e	1	0	1	0	1	0
0624	N Charleston 24	#####						
DEM	- State House of Representatives	District 113Chris Collins	4	0	4	0	4	0
DEM	- State House of Representatives	District 113Angela M Hanyak	0	0	0	0	* No Audit Data expected or found	
DEM	- State House of Representatives	District 113Marvin R Pendarvis	22	0	22	0	22	0
REP	- State House of Representatives	District 113Theron Sandy II	0	0	0	0	* No Audit Data expected or found	

Charleston 2017 State House Dist 113 Primary Audit Report

REP - State House of Representatives District 113	Rouzy Vafai e	0	0	0	0	0	0	0	* No Audit Data expected or found
0625	N Charleston 25	#####							
DEM - State House of Representatives District 113	Chris Collins	9	0	9	0	9	0	0	
DEM - State House of Representatives District 113	Angela M Hanyak	3	0	3	0	3	0	0	
DEM - State House of Representatives District 113	Marvin R Pendarvis	35	0	35	0	35	0	0	
REP - State House of Representatives District 113	Theron Sandy II	0	0	0	0	0	0	0	* No Audit Data expected or found
REP - State House of Representatives District 113	Rouzy Vafai e	0	0	0	0	0	0	0	* No Audit Data expected or found
0626	N Charleston 26	#####							
DEM - State House of Representatives District 113	Chris Collins	6	0	6	0	6	0	0	
DEM - State House of Representatives District 113	Angela M Hanyak	0	0	0	0	0	0	0	* No Audit Data expected or found
DEM - State House of Representatives District 113	Marvin R Pendarvis	16	0	16	0	16	0	0	
REP - State House of Representatives District 113	Theron Sandy II	0	0	0	0	0	0	0	* No Audit Data expected or found
REP - State House of Representatives District 113	Rouzy Vafai e	1	0	1	0	1	0	0	
0627	N Charleston 27	#####							
DEM - State House of Representatives District 113	Chris Collins	0	0	0	0	0	0	0	* No Audit Data expected or found
DEM - State House of Representatives District 113	Angela M Hanyak	1	0	1	0	1	0	0	
DEM - State House of Representatives District 113	Marvin R Pendarvis	4	0	4	0	4	0	0	
REP - State House of Representatives District 113	Theron Sandy II	2	0	2	0	2	0	0	
REP - State House of Representatives District 113	Rouzy Vafai e	1	0	1	0	1	0	0	
0630	N Charleston 30	#####							
DEM - State House of Representatives District 113	Chris Collins	12	0	12	0	12	0	0	
DEM - State House of Representatives District 113	Angela M Hanyak	5	0	5	0	5	0	0	
DEM - State House of Representatives District 113	Marvin R Pendarvis	107	0	107	0	107	0	0	
REP - State House of Representatives District 113	Theron Sandy II	20	0	20	0	20	0	0	
REP - State House of Representatives District 113	Rouzy Vafai e	7	0	7	0	7	0	0	
0750	Absentee	#####							
DEM - State House of Representatives District 113	Chris Collins	2	1	1	0	1	0	0	
DEM - State House of Representatives District 113	Angela M Hanyak	8	2	6	0	6	0	0	
DEM - State House of Representatives District 113	Marvin R Pendarvis	39	7	32	0	32	0	0	
REP - State House of Representatives District 113	Theron Sandy II	1	0	1	0	1	0	0	
REP - State House of Representatives District 113	Rouzy Vafai e	0	0	0	0	0	0	0	* No Audit Data expected or found
0800	Emergency	#####							
DEM - State House of Representatives District 113	Chris Collins	0	0	0	0	0	0	0	* No Audit Data expected or found
DEM - State House of Representatives District 113	Angela M Hanyak	0	0	0	0	0	0	0	* No Audit Data expected or found
DEM - State House of Representatives District 113	Marvin R Pendarvis	0	0	0	0	0	0	0	* No Audit Data expected or found
REP - State House of Representatives District 113	Theron Sandy II	0	0	0	0	0	0	0	* No Audit Data expected or found

Charleston 2017 State House Dist 113 Primary Audit Report

found							
REP - State House of Representatives District 113	Rouzy Vafai e	0	0	0	0	*	No Audit Data expected or found
0850	Fail safe	#####					
DEM - State House of Representatives District 113	Chris Collins	1	0	1	0	1	0
DEM - State House of Representatives District 113	Angela M Hanyak	0	0	0	0	*	No Audit Data expected or found
DEM - State House of Representatives District 113	Marvin R Pendarvis	1	0	1	0	1	0
REP - State House of Representatives District 113	Theron Sandy II	0	0	0	0	*	No Audit Data expected or found
REP - State House of Representatives District 113	Rouzy Vafai e	0	0	0	0	*	No Audit Data expected or found
0900	Provisional	#####					
DEM - State House of Representatives District 113	Chris Collins	0	0	0	0	*	No Audit Data expected or found
DEM - State House of Representatives District 113	Angela M Hanyak	0	0	0	0	*	No Audit Data expected or found
DEM - State House of Representatives District 113	Marvin R Pendarvis	0	0	0	0	*	No Audit Data expected or found
REP - State House of Representatives District 113	Theron Sandy II	0	0	0	0	*	No Audit Data expected or found
REP - State House of Representatives District 113	Rouzy Vafai e	0	0	0	0	*	No Audit Data expected or found

There was no unmatched audit data

How to read this report.

This is the vote level report. It compares the number of votes cast for each candidate in the tabulation report with the number of ballots cast in the audit data for each candidates in each precinct.

The tabulated values as read from the EL30A report are reported in four categories; Total, Optical (Opt), iVotronic (iVo) and Flash. None of these values on each line are calculated but parsed from the actual report. In the EL30A report all Write-in votes are added together and reported as one candidate name - Write-in. The EL30A does not report individual Write-in candidates.

The Opt totals are the total number of votes cast on paper ballots that were scanned into the optical scanner and transferred to the tabulation computer via memory stick or ZipDisk (depending on the type of device, M100 or M650 used to scan the ballots.) Optical totals should exist only in some but not all of the Virtual Precincts at the bottom of the table.

The iVo totals are the results gathered from the PEBs (Personal Electronic Ballot) which are used to open and close an iVotronic voting machine and, after the polls have closed, gather the ballots cast for transmission to the tabulation system.

The Flash totals are the totals that are read from the flash cards in the rare event that the ballots cannot be copied from the machine to the PEB or from the PEB to the tabulating machine.

The values on the Audit side come from the iVotronic audit data that is read from the flash cards as

Charleston 2017 State House Dist 113 Primary Audit Report

part of the audit process. That process combines the individual machine data into a master audit file, the EL155 Vote image log.

The EL155 contains a record of all the votes cast on a ballot. The vote images indicate the machine counting the number of times a candidate name for a contest appears in a precinct we get the number of votes cast in that precinct for that candidates. That number should always match the number of votes cast for that candidate in that contest in the iVo column on the EL30A side of the report.

Optical ballots do not have electronically readable audit files. So if the audit data iVotronic total votes does not match the EL30A iVo value one of two things will occur. The first is if the iVotronic tabulated is zero and the Total tabulated votes match the tabulated Optical votes the following comment is made in the Audit side of the report; All votes cast for this candidate in this precinct are optical No Audit Data for optical, or secondly, if the iVotronic total is not zero, a notation indicating which data Audit data In the event a candidate or the combined Write-in candidates did not receive any votes in a precinct the EL30A will report a zero vote count. If there are no votes for this candidate in a precinct in the audit data, the following comment will be placed into the audit report by the auditing software; No Audit Data expected or found.

Finally the audit software will search the audit data for any votes that were not found on the EL30A report. If it finds some, it will report those vote totals by contest, candidate name and precinct. if it does not find any unmatched audit data it will report; There was no unmatched audit data

 Charleston EL30A45A Comparison Report
 Election: 2017 State House Dist 113 Primary
 Audit Date: 13:59:41, Thu Sep 7, 2017

Office	Candidate	Party	EL30A				EL45A				Delta
			Tot	Opt	iVo	Flash	Tot	Opt	iVo	Flash	
State House of Representatives District 113	Chris Collins		76	1	75	0	76	1	75	0	0
State House of Representatives District 113	Angela M Hanyak		99	2	97	0	99	2	97	0	0
State House of Representatives District 113	Marvin R Pendarvis		714	7	707	0	714	7	707	0	0
State House of Representatives District 113	Theron Sandy II		166	0	166	0	166	0	166	0	0
State House of Representatives District 113	Rouzy Vafai e		55	0	55	0	55	0	55	0	0

How to read this report.

This is EL30A EL45A Crosscheck Report. It sums each candidates vote totals in each precinct in the EL30A Precinct Detail Report and compares it to the EL45A Election Summary Report that contains the tabulated total for each candidate in the county.

The values read from the EL30A report are reported in four categories; Total, Optical (Opt), iVotronic (iVo) and Flash. None of these values on each line are calculated but parsed from the actual report. The total lines are the calculated sums of the individual precince line values.

The Opt totals are the total number of votes cast on paper ballots that were scanned into the optical

Charleston 2017 State House Dist 113 Primary Audit Report

scanner and transferred to the tabulation computer via memory stick or ZipDisk (depending on the type of device, M100 or M650 used to scan the ballots.) Optical totals should exist only in some but not all of the Virtual Precincts at the bottom of the table.

The iVo totals are the results gathered from the PEBs (Personal Electronic Ballot) which are used to open and close an iVotronic voting machine and, after the polls have closed, gather the ballots cast for transmission to the tabulation system.

The Flash totals are the totals that are read from the flash cards in the rare event that the ballots cannot be copied from the machine to the PEB or from the PEB to the tabulating machine.

The values read from the EL45A report are reported in same four categories; Total, Optical (Opt), iVotronic (iVo) and Flash as the EL30A. Like the EL30A they are parsed from the actual EL45A report. The summary candidate totals are compared against the calculated sums for each candidate from, the EL30A report. Each of the values in each line on the EL30A side must match the same value on the EL45A side and the Delta value must be zero.

 Charleston PEB Use Report
 Election: 2017 State House Dist 113 Primary
 Audit Date: 13:59:17, Thu Sep 7, 2017

Precinct	PEBs Used	Comments
Deer Park 1B	156555	
Lincolnville	157130	
Ladson	156555	
N Charleston 7	229811	
N Charleston 8	155981	
N Charleston 9	157416	
N Charleston 10	156008	
N Charleston 11	157628	
N Charleston 12	156835	
N Charleston 13	156829	
N Charleston 14	156429	
N Charleston 15	156962	
N Charleston 16	156429	
N Charleston 17	152696	
N Charleston 24	156646	
N Charleston 25	156786	
N Charleston 26	143987	
N Charleston 27	156510	
N Charleston 30	152979	
Absentee	156540	156501 WARNING: 2 PEBs used to open/close machines.
Fail safe	156540	

21 precincts processed

The following precinct(s) have no ballots cast in them: Emergency, Provisional

Charleston 2017 State House Dist 113 Primary Audit Report

Note: if there are no ballots cast in a precinct the machines in that precinct cannot be identified so these precinct(s) will not appear in this report.

How to read this report.

This is the PEB Used report. It lists the precincts found in the Audit data and lists all the PEBs that were used by the poll workers to open and close the iVotronic machines in that precinct.

If more than one PEB is used to open and close all the iVotronic machines in a precinct, then the County Election Commission must read ALL the PEBs used in that precinct to assure that they have collected all the ballots from that precinct. A county whose report shows a precinct that has machines open or closed by more than one PEB should double check the Ballot Audit Report against the iVotronic paper tapes and the Poll Book to make sure that all the ballots have been collected and tabulated.

Charleston PEB Exceptions Report

Election: 2017 State House Dist 113 Primary

Election date: 09/05/2017

Audit Date: 13:59:17, Thu Sep 7, 2017

iVo #	Op PEB	Open Time	Cl PEB	Close Time	Exception Type	Precinct - Ballots Cast
5125489	156829	09/05/2017 07:07:30	156829	09/05/2017 19:14:55	Open Time	N Charleston 13 - 7
5131585	156829	09/05/2017 07:04:55	156829	09/05/2017 19:04:25	Open Time	N Charleston 13 - 12
5134626	156540	08/07/2017 15:46:20	156540	09/05/2017 19:01:39	>>Open Date<<	Absentee - 39 Fail safe - 2
5134626	156540	08/07/2017 15:46:20	156540	09/05/2017 19:01:39	Open Time	Absentee - 39 Fail safe - 2
5136237	156829	09/05/2017 07:03:02	156829	09/05/2017 19:03:12	Open Time	N Charleston 13 - 43
5139579	156501	08/07/2017 08:47:22	156501	09/05/2017 19:04:07	>>Open Date<<	Absentee - 1
5139579	156501	08/07/2017 08:47:22	156501	09/05/2017 19:04:07	Open Time	Absentee - 1
5145314	155981	09/05/2017 07:01:43	155981	09/05/2017 19:05:00	Open Time	N Charleston 8 - 19
5177878	155981	09/05/2017 07:04:04	155981	09/05/2017 19:07:13	Open Time	N Charleston 8 - 18

The following machines(s) have audit records but no ballots were cast on them: 5121587, 5121985, 5139692
Because they do not have ballots cast, they cannot be matched to a precinct.

How to read this report.

This is the PEB Exceptions Report. It checks for the following conditions in the iVotronic Event Log;

- 1: A machine that was opened and closed by different PEBs
- 2: A Machine that was not opened on Election Date - could be either an absentee or test machine
- 3: A Machine that was not closed on Election Date - could have had problem closing
- 4: A Machine that was not opened by 7 am - note most Absentee machines will show up here

Charleston 2017 State House Dist 113 Primary Audit Report

5: A Machine that was closed before 7pm - polls close at 7 PM

6: A Machine that was not closed ever.

7: A machine that has no ballots cast on it.

Each of the events above detected are reported on a separate line, each line contains the following information: iVotronic machine number, Opening PEB Number, Open Time, Closing PEB Number, Closing Time, the Exception Type and the Precinct and the Ballots Cast on that machine.

Absentee and Failsafe precinct machines are opened during the middle of the day several days before the election date of 09/05/2017. So it is normal for these machines to appear on this report with Open Date and Open Time exceptions.