

Fairfield 2018 Statewide Primary Runoff Audit Report

Fairfield Ballot Audit Report  
 Election: 2018 Statewide Primary Runoff  
 Audit Date: 13:55:21, Thu Jun 28, 2018

Prec Nber	Precinct Name	EL30A							Audit				Comments
		Total	DS850	M650	DS200	M100	iVo	Flash	iVo	Opt	Man	Delta	
0001	Blackstock	0	0	0	0	0	0	0	0	0	0	0	0
0002	Blairs	14	0	0	0	0	14	0	14	0	0	0	0
0003	Centerville	52	0	0	0	0	52	0	52	0	0	0	0
0004	Feasterville	18	0	0	0	0	18	0	18	0	0	0	0
0005	Greenbrier	91	0	0	0	0	91	0	91	0	0	0	0
0006	Gladden Grove	8	0	0	0	0	8	0	8	0	0	0	0
0007	Jenkinsville	15	0	0	0	0	15	0	15	0	0	0	0
0008	Horeb-glenn	14	0	0	0	0	14	0	14	0	0	0	0
0009	Hickory Ridge	40	0	0	0	0	40	0	40	0	0	0	0
0010	Lebanon	47	0	0	0	0	47	0	47	0	0	0	0
0011	Mitford	71	0	0	0	0	71	0	71	0	0	0	0
0012	Monticello	14	0	0	0	0	14	0	14	0	0	0	0
0013	New Hope	6	0	0	0	0	6	0	6	0	0	0	0
0014	Ridgeway	144	0	0	0	0	144	0	144	0	0	0	0
0015	Simpson	79	0	0	0	0	79	0	79	0	0	0	0
0016	South Wnnsboro	15	0	0	0	0	15	0	15	0	0	0	0
0017	Wnnsboro Mills	41	0	0	0	0	41	0	41	0	0	0	0
0018	Wnnsboro No. 1	40	0	0	0	0	40	0	40	0	0	0	0
0019	Wnnsboro No. 2	51	0	0	0	0	51	0	51	0	0	0	0
0020	White Oak	8	0	0	0	0	8	0	8	0	0	0	0
0021	Woodward	5	0	0	0	0	5	0	5	0	0	0	0
0022	Dutchmans Creek	214	0	0	0	0	214	0	214	0	0	0	0
Precincts Total:		987	0	0	0	0	987	0	987	0	0	0	0
0750	Absentee	89	0	0	0	18	71	0	71	0	18	0	0
0800	Emergency	0	0	0	0	0	0	0	0	0	0	0	0
0850	Failsafe	3	0	0	0	0	3	0	3	0	0	0	0
0900	Provisional	1	0	0	0	1	0	0	0	1	0	0	0
0950	Failsafe Provisional	0	0	0	0	0	0	0	0	0	0	0	0
Virtual Precincts Total:		93	0	0	0	19	74	0	74	1	18	0	0
Grand Total:		1080	0	0	0	19	1061	0	1061	1	18	0	0

NOTE: Any manual entries shown on this report are supported by the Manual Entry Log (EL68).

Auditor's Comments:

Total number of iVotronic ballots cast containing no votes: 7

The following precincts have no ballots cast in them: Blackstock, Emergency, Failsafe Provisional

Exception: Manual Entries found

Manual Entry Details:

Precinct	Candidate	Date	Hour	Min	Group	Old	New	Change	Tabulator	Comments
0750 Absentee	BALLOTS CAST - TOTAL	06-26	19	06pm	5	0	18	18	iVotronic	New value does not match final - skipped
0750 Absentee	BALLOTS CAST - TOTAL	06-26	19	14pm	4	0	18	18	M100	Updated Successfully
0900 Provisional	BALLOTS CAST - TOTAL	06-28	10	10am	4	0	1	1	M100	Already Updated

Fairfield 2018 Statewide Primary Runoff Audit Report

#####  
 # This audit has exceptions. #  
 #####

Auditor's Note: Primary optical ballots were used and manual entries made.

Status of ERM Reports  
 EL30A is marked Official  
 EL45A is marked Official

EL30A iVo to EL155 to EL152 Cross Check and Cancelled Ballots.

EL30A Ivo Ballots	EL155 Ballots	EL152 Ballots
1061	1061	1061
Delta from EL30A	0	0
	Delta from EL155	0
	Cast By Voter	1058
	Cast By Poll Wkr	3
	Blank Cast by PW	0
	Cancelled Ballots	27
	Wrong Ballot	0
	Voter Left AB	1
	Voter Left BB	0
	Voter Request	0
	Printer Problem	2
	Terminal Problem	1
	Other Reason	23

(AB = After ballot selected by poll worker.)  
 (BB = Before ballot selected by poll worker.)

Number of audio (ADA) events in this election: 0

Note: The following machines(s) have audit records but no ballots were cast on them: 5113055, 5123612, 5131493, 5132654  
 Because they do not have ballots cast, they cannot be matched to a precinct. This is not an issue as long as the EL30A Ivo Ballots, the EL155 Ballots and the EL152 Ballots match in the table immediately above.

How to read this report.

This is the ballot level report. It compares the number of ballots cast in the tabulation report, the EL30A with the number of ballots cast in the audit data.

The values read from the EL30A report are reported in four categories; Total, Optical (Opt), iVotronic (iVo) and Flash. None of these values on each line are calculated but parsed from the actual report. The total lines are the calculated sums of the individual precinct line values.

Fairfield 2018 Statewide Primary Runoff Audit Report

The Opt totals are the total number of ballots cast on paper ballots that were scanned into the optical scanner and transferred to the tabulation computer via memory stick or ZipDisk (depending on the type of device, M100 or M650 used to scan the ballots.) Optical totals should exist only in some but not all of the Virtual Precincts at the bottom of the table.

The iVo totals are the results gathered from the PEBs (Personal Electronic Ballot) which are used to open and close an iVotronic voting machine and, after the polls have closed, gather the ballots cast for transmission to the tabulation system.

The Flash totals are the totals that are read from the flash cards in the rare event that the ballots cannot be copied from the machine to the PEB or from the PEB to the tabulating machine.

The values on the Audit side come from the iVotronic audit data that is read from the flash cards as part of the audit process. That process combines the individual machine data into two master audit files, the EL155 Vote image log and the EL152 iVotronic event log. The EL155 contains a record of all the votes cast on a ballot. The vote images indicate the machine. Counting the number of asterisks in a precinct we get the number of ballots cast in that precinct. That number should always match the number in the iVo column on the EL30A side of the report.

Optical ballots do not have electronically readable audit files. So if the audit data iVotronic total does not match the EL30A Total value, the auditor is prompted to read the paper report from the optical scanner and enter the total ballots cast into the auditing program.

If the sum of the audit iVotronic and Optical ballots cast still do not match the EL30A total value, then the audit software reads the EL68 Manual Entry log for any changes made in that precinct to either the iVo or Opt totals by the CEC staff. It displays any manual entries to the auditor for inclusion into the totals. If accepted by the auditor these entries are automatically added to the Man column from the Manual Entry log.

Finally, the audit software calculates the Delta value which should be zero unless the sum of the iVo, the Opt and the Man do not match the EL30A Total column. If the Delta is greater than zero then audit data is missing. A comment will be placed on that line in the report indicating missing audit data. If the Delta value is less than zero then there are more ballots in the audit data than there are in the tabulated data and a comment will be placed on that line in the report.

Wherever possible, the audit system will attempt to indicate where the difference is by displaying the iVotronic machine numbers and the number of ballots cast on that machine that exist in the audit data. In the case of missing tabulated data, it might be possible to identify a machine that has the same number of ballots cast as the delta value and that number and ballot count will be highlighted with a < sign. If there is a non zero Delta value there will be an entry by the auditor explaining the variance.

Finally, there is a EL30A iVo to EL155 to EL152 Cross Check and Cancelled Ballots table in the report. This table should indicate that the number ballots cast in the EL30A match the numbers in the EL155 and the EL152 report. Then there are some statistics pulled from the EL152 report that indicate how many ballots were cast by the voter and the number cast by the poll worker. Lastly the number of ballots that were cancelled and the reason they were cancelled. It should be noted that the reason cancelled is chosen from a pull down menu presented to the poll worker when a ballot is cancelled, there is no way to validate the poll worker's choice.

Fairfield 2018 Statewide Primary Runoff Audit Report

Election: 2018 Statewide Primary Runoff  
 Audit Date: 13:56:34, Thu Jun 28, 2018

Precinct Number / Name Office	Candidate	Party	EL30A						Audit		Comments		
			Total	DS850	M650	DS200	M100	iVo	Flash	iVo		Delta	
0001 Blackstock REP - Governor Data expected. REP - Governor Data expected. REP - Attorney General Data expected. REP - Attorney General Data expected.	Henry McMaster John Warren Todd Atwater Alan Wilson		0	0	0	0	0	0	0	0	0	0	* No Votes Cast - No Audit
0002 Blairs REP - Governor REP - Governor REP - Attorney General REP - Attorney General	Henry McMaster John Warren Todd Atwater Alan Wilson		12	0	0	0	0	12	0	12	0	0	
0003 Centerville REP - Governor REP - Governor REP - Attorney General REP - Attorney General	Henry McMaster John Warren Todd Atwater Alan Wilson		45	0	0	0	0	45	0	45	0	0	
0004 Feasterville REP - Governor REP - Governor REP - Attorney General REP - Attorney General	Henry McMaster John Warren Todd Atwater Alan Wilson		14	0	0	0	0	14	0	14	0	0	
0005 Greenbrier REP - Governor REP - Governor REP - Attorney General REP - Attorney General	Henry McMaster John Warren Todd Atwater Alan Wilson		61	0	0	0	0	61	0	61	0	0	
0006 Gladden Grove REP - Governor REP - Governor Data expected. REP - Attorney General REP - Attorney General	Henry McMaster John Warren Todd Atwater Alan Wilson		8	0	0	0	0	8	0	8	0	0	* No Votes Cast - No Audit
0007 Jenknsville REP - Governor REP - Governor REP - Attorney General	Henry McMaster John Warren Todd Atwater		9	0	0	0	0	9	0	9	0	0	

Fairfield 2018 Statewide Primary Runoff Audit Report

REP -	Attorney General	Al an Wilson	12	0	0	0	0	12	0	12	0
0008	Horeb-glenn	Henry McMaster	10	0	0	0	0	10	0	10	0
REP -	Governor	John Warren	4	0	0	0	0	4	0	4	0
REP -	Governor	Todd Atwater	3	0	0	0	0	3	0	3	0
REP -	Attorney General	Al an Wilson	10	0	0	0	0	10	0	10	0
REP -	Attorney General										
0009	Hickory Ridge	Henry McMaster	37	0	0	0	0	37	0	37	0
REP -	Governor	John Warren	3	0	0	0	0	3	0	3	0
REP -	Governor	Todd Atwater	3	0	0	0	0	3	0	3	0
REP -	Attorney General	Al an Wilson	34	0	0	0	0	34	0	34	0
REP -	Attorney General										
0010	Lebanon	Henry McMaster	25	0	0	0	0	25	0	25	0
REP -	Governor	John Warren	21	0	0	0	0	21	0	21	0
REP -	Governor	Todd Atwater	10	0	0	0	0	10	0	10	0
REP -	Attorney General	Al an Wilson	36	0	0	0	0	36	0	36	0
REP -	Attorney General										
0011	Mitford	Henry McMaster	60	0	0	0	0	60	0	60	0
REP -	Governor	John Warren	11	0	0	0	0	11	0	11	0
REP -	Governor	Todd Atwater	17	0	0	0	0	17	0	17	0
REP -	Attorney General	Al an Wilson	46	0	0	0	0	46	0	46	0
REP -	Attorney General										
0012	Monticello	Henry McMaster	8	0	0	0	0	8	0	8	0
REP -	Governor	John Warren	6	0	0	0	0	6	0	6	0
REP -	Governor	Todd Atwater	5	0	0	0	0	5	0	5	0
REP -	Attorney General	Al an Wilson	8	0	0	0	0	8	0	8	0
REP -	Attorney General										
0013	New Hope	Henry McMaster	4	0	0	0	0	4	0	4	0
REP -	Governor	John Warren	2	0	0	0	0	2	0	2	0
REP -	Governor	Todd Atwater	0	0	0	0	0	0	0	0	0
REP -	Attorney General	Al an Wilson	6	0	0	0	0	6	0	6	0
REP -	Attorney General										
0014	Ridgeway	Henry McMaster	107	0	0	0	0	107	0	107	0
REP -	Governor	John Warren	35	0	0	0	0	35	0	35	0
REP -	Governor	Todd Atwater	30	0	0	0	0	30	0	30	0
REP -	Attorney General	Al an Wilson	106	0	0	0	0	106	0	106	0
REP -	Attorney General										
0015	Simpson	Henry McMaster	54	0	0	0	0	54	0	54	0
REP -	Governor	John Warren	25	0	0	0	0	25	0	25	0
REP -	Governor	Todd Atwater	26	0	0	0	0	26	0	26	0
REP -	Attorney General	Al an Wilson	53	0	0	0	0	53	0	53	0
REP -	Attorney General										
0016	South Winstboro										

Fairfield 2018 Statewide Primary Runoff Audit Report

REP - Governor	Henry McMaster	14	0	0	0	0	14	0	14	0
REP - Governor	John Warren	1	0	0	0	0	1	0	1	0
REP - Attorney General	Todd Atwater	7	0	0	0	0	7	0	7	0
REP - Attorney General	Al an Wilson	8	0	0	0	0	8	0	8	0
0017 W innsboro Mi lls #####										
REP - Governor	Henry McMaster	25	0	0	0	0	25	0	25	0
REP - Governor	John Warren	15	0	0	0	0	15	0	15	0
REP - Attorney General	Todd Atwater	15	0	0	0	0	15	0	15	0
REP - Attorney General	Al an Wilson	25	0	0	0	0	25	0	25	0
0018 W innsboro No. 1 #####										
REP - Governor	Henry McMaster	31	0	0	0	0	31	0	31	0
REP - Governor	John Warren	9	0	0	0	0	9	0	9	0
REP - Attorney General	Todd Atwater	10	0	0	0	0	10	0	10	0
REP - Attorney General	Al an Wilson	28	0	0	0	0	28	0	28	0
0019 W innsboro No. 2 #####										
REP - Governor	Henry McMaster	38	0	0	0	0	38	0	38	0
REP - Governor	John Warren	13	0	0	0	0	13	0	13	0
REP - Attorney General	Todd Atwater	16	0	0	0	0	16	0	16	0
REP - Attorney General	Al an Wilson	30	0	0	0	0	30	0	30	0
0020 Whi te Oak #####										
REP - Governor	Henry McMaster	6	0	0	0	0	6	0	6	0
REP - Governor	John Warren	2	0	0	0	0	2	0	2	0
REP - Attorney General	Todd Atwater	1	0	0	0	0	1	0	1	0
REP - Attorney General	Al an Wilson	6	0	0	0	0	6	0	6	0
0021 Woodward #####										
REP - Governor	Henry McMaster	5	0	0	0	0	5	0	5	0
REP - Governor	John Warren	0	0	0	0	0	0	0	0	0
Data expected.										
REP - Attorney General	Todd Atwater	2	0	0	0	0	2	0	2	0
REP - Attorney General	Al an Wilson	3	0	0	0	0	3	0	3	0
0022 Dutchmans Creek #####										
REP - Governor	Henry McMaster	157	0	0	0	0	157	0	157	0
REP - Governor	John Warren	57	0	0	0	0	57	0	57	0
REP - Attorney General	Todd Atwater	60	0	0	0	0	60	0	60	0
REP - Attorney General	Al an Wilson	143	0	0	0	0	143	0	143	0
0750 Absentee #####										
REP - Governor	Henry McMaster	70	0	0	0	13	57	0	57	0
***** Note: A manual entry was made in this precinct. There is no audit data for a manual entry. Expect no match in Audit data messages.										
REP - Governor	John Warren	19	0	0	0	5	14	0	14	0
REP - Attorney General	Todd Atwater	5	0	0	0	1	4	0	4	0
REP - Attorney General	Al an Wilson	81	0	0	0	17	64	0	64	0
0800 Emergency #####										

		Fairfield 2018 Statewide Primary Runoff Audit Report									
REP - Governor Data expected.	Henry McMaster	0	0	0	0	0	0	0	0	0	0 * No Votes Cast - No Audit
REP - Governor Data expected.	John Warren	0	0	0	0	0	0	0	0	0	0 * No Votes Cast - No Audit
REP - Attorney General Data expected.	Todd Atwater	0	0	0	0	0	0	0	0	0	0 * No Votes Cast - No Audit
REP - Attorney General Data expected.	Alan Wilson	0	0	0	0	0	0	0	0	0	0 * No Votes Cast - No Audit

0850 Fairfield		#####									
REP - Governor Data expected.	Henry McMaster	2	0	0	0	0	2	0	2	0	
REP - Governor Data expected.	John Warren	1	0	0	0	0	1	0	1	0	
REP - Attorney General Data expected.	Todd Atwater	0	0	0	0	0	0	0	0	0 * No Votes Cast - No Audit	
REP - Attorney General	Alan Wilson	2	0	0	0	0	2	0	2	0	

0900 Provisional		#####									
REP - Governor Data expected.	Henry McMaster	0	0	0	0	0	0	0	0	0	0 * No Votes Cast - No Audit
***** Note: A manual entry was made in this precinct. There is no audit data for a manual entry. Expect no match in Audit data messages.											
REP - Governor Audit data expected.	John Warren	1	0	0	0	1	0	0	0	0	0 * Optical Ballots - No
REP - Attorney General Data expected.	Todd Atwater	0	0	0	0	0	0	0	0	0	0 * No Votes Cast - No Audit
REP - Attorney General Audit data expected.	Alan Wilson	1	0	0	0	1	0	0	0	0	0 * Optical Ballots - No

REP - Governor Audit data expected.	John Warren	1	0	0	0	1	0	0	0	0	0 * Optical Ballots - No
REP - Attorney General Data expected.	Todd Atwater	0	0	0	0	0	0	0	0	0	0 * No Votes Cast - No Audit
REP - Attorney General Audit data expected.	Alan Wilson	1	0	0	0	1	0	0	0	0	0 * Optical Ballots - No

0950 Fairfield Provisional		#####									
REP - Governor Data expected.	Henry McMaster	0	0	0	0	0	0	0	0	0	0 * No Votes Cast - No Audit
REP - Governor Data expected.	John Warren	0	0	0	0	0	0	0	0	0	0 * No Votes Cast - No Audit
REP - Attorney General Data expected.	Todd Atwater	0	0	0	0	0	0	0	0	0	0 * No Votes Cast - No Audit
REP - Attorney General Data expected.	Alan Wilson	0	0	0	0	0	0	0	0	0	0 * No Votes Cast - No Audit

There was no unmatched audit data

How to read this report.

This is the vote level report. It compares the number of votes cast for each candidate in the tabulation report with the number of ballots cast in the audit data for each candidates in each precinct.

The tabulated values as read from the EL30A report are reported in four categories; Total, Optical (Opt), iVotronic (iVo) and Flash. None of these values on each line are calculated but parsed from the actual report. In the EL30A report all Write-in votes are added together and reported as one candidate name - Write-in. The EL30A does not report individual Write-in candidates.

Fairfield 2018 Statewide Primary Runoff Audit Report

The Opt totals are the total number of votes cast on paper ballots that were scanned into the optical scanner and transferred to the tabulation computer via memory stick or ZipDisk (depending on the type of device, M100 or M650 used to scan the ballots.) Optical totals should exist only in some but not all of the Virtual Precincts at the bottom of the table.

The iVo totals are the results gathered from the PEBs (Personal Electronic Ballot) which are used to open and close an iVotronic voting machine and, after the polls have closed, gather the ballots cast for transmission to the tabulation system.

The Flash totals are the totals that are read from the flash cards in the rare event that the ballots cannot be copied from the machine to the PEB or from the PEB to the tabulating machine.

The values on the Audit side come from the iVotronic audit data that is read from the flash cards as part of the audit process. That process combines the individual machine data into a master audit file, the EL155 Vote image log.

The EL155 contains a record of all the votes cast on a ballot. The vote images indicate the machine Ocounting the number of times a candidate name for a contest appears in a precinct we get the number of votes cast in that precinct for that candidates. That number should always match the number of votes cast for that candidate in that contest in the iVo column on the EL30A side of the report.

Optical ballots do not have electronically readable audit files. So if the audit data iVotronic total votes does not match the EL30A iVo value one of two things will occur. The first is if the iVotronic tabulated is zero and the Total tabulated votes match the tabulated Optical votes the following comment is made in the Audit side of the report; All votes cast for this candidate in this precinct are optical No Audit Data for optical, or secondly, if the iVotronic total is not zero, a notation indicating which data Audit data In the event a candidate or the combined Write-in candidates did not receive any votes in a precinct the EL30A will report a zero vote count. If there are no votes for this candidate in a precinct in the audit data, the following comment will be placed into the audit report by the auditing software; No Audit Data expected or found.

Finally the audit software will search the audit data for any votes that were not found on the EL30A report. If it finds some, it will report those vote totals by contest, candidate name and precinct. if it does not find any unmatched audit data it will report; There was no unmatched audit data

-----  
 Fairfield EL30A45A Comparison Report  
 Election: 2018 Statewide Primary Runoff  
 Audit Date: 13:57:17, Thu Jun 28, 2018

-----EL30A-----					-----EL45A-----										
Office		Candiate			Party	Tot	DS850	M650	DS200	M100	iVo	Flash	Tot	DS850	M650
DS200	M100	iVo	Flash	Delta											
Governor					Henry McMaster	802	0	0	0	13	789	0	802	0	0
0	13	789	0	0	John Warren	271	0	0	0	6	265	0	271	0	0
Governor															

Fairfield 2018 Statewide Primary Runoff Audit Report

0	6	265	0	0											
Attorney General					Todd Atwater	255	0	0	0	1	254	0	255	0	0
0	1	254	0	0											
Attorney General					Alan Wilson	771	0	0	0	18	753	0	771	0	0
0	18	753	0	0											

How to read this report.

This is EL30A EL45A Crosscheck Report. It sums each candidates vote totals in each precinct in the EL30A Precinct Detail Report and compares it to the EL45A Election Summary Report that contains the tabulated total for each candidate in the county.

The values read from the EL30A report are reported in four categories; Total, Optical (Opt), iVotronic (iVo) and Flash. None of these values on each line are calculated but parsed from the actual report. The total lines are the calculated sums of the individual precince line values.

The Opt totals are the total number of votes cast on paper ballots that were scanned into the optical scanner and transferred to the tabulation computer via memory stick or ZipDisk (depending on the type of device, M100 or M650 used to scan the ballots.) Optical totals should exist only in some but not all of the Virtual Precincts at the bottom of the table.

The iVo totals are the results gathered from the PEBs (Personal Electronic Ballot) which are used to open and close an iVotronic voting machine and, after the polls have closed, gather the ballots cast for transmissi on to the tabulation system.

The Flash totals are the totals that are read from the flash cards in the rare event that the ballots cannot be copied from the machine to the PEB or from the PEB to the tabulating machine.

The values read from the EL45A report are reported in same four categories; Total, Optical (Opt), iVotronic (iVo) and Flash as the EL30A. Like the EL30A they are parsed from the actual EL45A report. The summary candidate totals are compared against the calculated sums for each candidate from, the EL30A report. Each of the values in each line on the EL30A side must match the same value on the EL45A side and the Delta value must be zero.

-----  
 Fairfield PEB Use Report  
 Election: 2018 Statewide Primary Runoff  
 Audit Date: 13:55:21, Thu Jun 28, 2018

Precinct	PEBs Used	Comments
Blairs	243615	
Centerville	243616	
Feasterville	153758	
Greenbrier	147668	
Gladden Grove	154720	
Jenkinsville	147747	

Fairfield 2018 Statewide Primary Runoff Audit Report

Horeb-glenn	233552	
Hickory Ridge	155556	
Lebanon	146904	171877
Mitford	150638	
Monticello	154876	
New Hope	233575	
Ridgeway	229473	
Simpson	243624	
South Wnnsboro	125014	
Wnnsboro Mills	154753	
Wnnsboro No. 1	178064	
Wnnsboro No. 2	145216	
White Oak	155003	
Woodward	142874	
Dutchmans Creek	154698	
Absentee	153921	
Failsafe	153921	

WARNING: 2 PEBs used to open/close machines.

23 precincts processed

The following precinct(s) have no ballots cast in them: Blackstock, Emergency, Failsafe Provisional  
 Note: if there are no ballots cast in a precinct the machines in that precinct cannot be identified so these precinct(s) will not appear in this report.

How to read this report.

This is the PEB Used report. It lists the precincts found in the Audit data and lists all the PEBs that were used by the poll workers to open and close the iVotronic machines in that precinct.

If more than one PEB is used to open and close all the iVotronic machines in a precinct, then the County Election Commission must read ALL the PEBs used in that precinct to assure that they have collected all the ballots from that precinct. A county whose report shows a precinct that has machines open or closed by more than one PEB should double check the Ballot Audit Report against the iVotronic paper tapes and the Poll Book to make sure that all the ballots have been collected and tabulated.

-----  
 Fairfield PEB Exceptions Report  
 Election: 2018 Statewide Primary Runoff  
 Election date: 2018-06-26  
 Audit Date: 13:55:21, Thu Jun 28, 2018

iVo #	Op PEB	Open Time	Cl PEB	Close Time	Exception Type	Precinct - Ballots Cast
5113055	154876	2018-06-26 08:46:08	154876	2018-06-26 08:48:57	Open Time	>>>No Ballots<<<
5113055	154876	2018-06-26 08:46:08	154876	2018-06-26 08:48:57	Close Time	>>>No Ballots<<<
5119445	146904	2018-06-26 06:14:32	171877	2018-06-26 19:08:26	>>>0/C PEBs<<<	Lebanon - 15

Fairfield 2018 Statewide Primary Runoff Audit Report

5122529	229473	2018-06-26	06:27:49	229473	2018-06-26	10:30:59	Close Time	Ridgeway - 6
5123496	153921	2018-06-19	14:28:46	153921	2018-06-26	19:03:42	>>Open Date<<	Absentee - 51 Fail safe - 2
5123496	153921	2018-06-19	14:28:46	153921	2018-06-26	19:03:42	Open Time	Absentee - 51 Fail safe - 2
5123706	146904	2018-06-26	06:18:41	171877	2018-06-26	19:11:22	>>>O/C PEBs<<<	Lebanon - 32
5133006	142874	2018-06-26	06:31:53	142874	2018-06-26	17:26:13	Close Time	Woodward - 1
5135332	153921	2018-06-19	14:45:35	153921	2018-06-26	19:02:38	>>Open Date<<	Absentee - 20 Fail safe - 1
5135332	153921	2018-06-19	14:45:35	153921	2018-06-26	19:02:38	Open Time	Absentee - 20 Fail safe - 1

The following machines(s) have audit records but no ballots were cast on them: 5113055, 5123612, 5131493, 5132654  
 Because they do not have ballots cast, they cannot be matched to a precinct.

How to read this report.

This is the PEB Exceptions Report. It checks for the following conditions in the iVotronic Event Log;

- 1: A machine that was opened and closed by different PEBs
- 2: A Machine that was not opened on Election Date - could be either an absentee or test machine
- 3: A Machine that was not closed on Election Date - could have had problem closing
- 4: A Machine that was not opened by 7 am - note most Absentee machines will show up here
- 5: A Machine that was closed before 7pm - polls close at 7 PM
- 6: A Machine that was not closed ever.
- 7: A machine that has no ballots cast on it.

Each of the events above detected are reported on a separate line, each line contains the following information:  
 iVotronic machine number, Opening PEB Number, Open Time, Closing PEB Number, Closing Time, the Exception Type and  
 the Precinct and the Ballots Cast on that machine.

Absentee and Fail safe precinct machines are opened during the middle of the day several days before the election date  
 of 2018-06-26. So it is normal for these machines to appear on this report with Open Date and Open Time exceptions.